

A TABLE OF MORTALITY

FOR THE
Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the **WEEK** ending Saturday, the 9th January, 1841.

Temperature. °	Weeks ending	
	Jan. 2d	Jan. 9th
Highest ...	45 °	45 °
Lowest	24 °	15 °
Daily Mean	34 °	29 °

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	73	13	..	86	36	Nephritis4
Measles	26	1	..	27	24	Diabetes3
Scarlatina	23	3	..	26	38	Stone	2	2	.5
Whooping Cough	27	27	28	Stricture	1	1	.4
Croup	3	3	7	Dis. of Kidneys, &c.	1	1	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	4	4	4
Diarrhœa	3	4	1	8	8	Childbed	8	..	8	7
Dysentery	2	1	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	4	..	4	2
Influenza	1	Childbed, Diseases of the Uterus, &c.}	..	12	..	12	9
Typhus (1)	19	14	3	36	46	Rheumatism	2	2	4	3
Erysipelas	3	3	3	9	7	Dis. of Joints, &c.}	3	3	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	3	2	2	7	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	179	40	8	227	204	Fistula	1	1	.4
Cephalitis	7	7	..	14	11	Dis. of Skin, &c.}3
Hydrocephalus	21	2	..	23	34	Diseases of the Skin, &c.}	1	1	1
Apoplexy	2	9	11	22	18	Inflammation	2	1	..	3	12
Paralysis	9	15	24	15	Hæmorrhage	1	7	1	10+	3
Convulsions	66	66	60	Dropsy	2	25	18	45	34
Epilepsy	4	1	5	4	Abscess	1	3	..	4	4
Insanity	1	Mortification	2	2	5
Delirium Tremens	3	..	3	1	Scrofula	2	1	..	3	2
Dis. of Brain, &c.}	2	6	3	11	7	Carcinoma	1	6	3	10	7
Diseases of the Brain, Nerves, and Senses.}	98	40	30	168	151	Tumor	1	..	1	2	2
Quinsey	3	3	1	Gout	1	1	2	1
Bronchitis	4	12	19	35	9	Atrophy	4	..	2	6	4
Pleurisy	2	Debility	11	1	9	21	15
Pneumonia	91	22	13	126	72	Malformations	1
Hydrothorax	1	..	3	4	5	Sudden Deaths	4	11	3	19	13
Emphysema	35	55	90	24	Diseases of Uncer- tain Seat	29	56	40	127	103
Consumption	24	78	15	117	141	Old Age, or Natural Decay	3	107	110	71
Dis. of Lungs, &c.}	1	8	9	18	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	124	155	114	393	266	Privation	1	..	1	.4
Pericarditis	1	1	.6	Violent Deaths	10	16	2	28	24
Aneurism	1	1	2	.6	Deaths by Violence, Pri- vation, or Intemperance}	10	17	2	29	25
Dis. of Heart, &c.}	4	20	9	33	17	Causes not specified ..	1	1	1	5+	8
Diseases of the Heart and Bloodvessels.}	5	21	10	36	18	Deaths from all Causes	495	363	329	1191	..
Feething	28	28	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	7	3	19	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	(1) Remittent Fever, 3. (2) Worms, 1.					
Tubæ Mesentericæ ..	3	3	4						
Ascites	1						
Ulceration	2	1	..	3	1						
Hernia	4	4	2						
Colic or Ileus	2	..	1	3	1						
Dis. of Stomach, &c. (2)	2	2	2	6	4						
Hepatitis	1	..	1	1						
Jaundice	2						
Dis. of Liver, &c.}	..	5	..	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	46	16	10	72	60						

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
		165	139
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	212	163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	260	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	267	211
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	287	223
TOTAL. Males, 581. Females, 610. (Weekly average 1838-9-40, Males, 475. Females, 451.)		1191	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Four Persons were not stated: One of whom died of "Hæmorrhage," One "Suddenly," and of Two the cause of Death was not specified.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, January 14th, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 16th January, 1841.

Temperature. §	Weeks ending	
	Jan. 9th	Jan. 16th
Highest ...	45°	39°
Lowest	15°	22°
Daily Mean	29°	34°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	53	2	..	55	36	Nephritis	1	1	.4
Measles	20	20	24	Diabetes	1	1	..	2	.3
Scarlatina	13	3	1	17	38	Stone5
Whooping Cough	43	43	28	Stricture	1	..	1	.1
Scroup	6	6	7	Dis. of Kidneys, &c. .	..	2	1	3	2.4
Scarlet Fever	7	7	5	Diseases of the Kid- neys, &c. }	2	4	1	7	4
Rhœœa	2	1	2	5	8	Childbed	10	..	10	7
Dysentery	2	..	2	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. .	1	1	..	2	2
Influenza	1	1	..	2	1	Childbed, Diseases of the Uterus, &c. . }	1	11	..	12	9
Erysipelas	11	19	5	35	46	Rheumatism	1	..	1	3
Scarlet Fever	1	5	1	7	7	Dis. of Joints, &c.	1	2	1	4	3
Phylis	1	Diseases of the Joints, Bones and Muscles }	1	3	1	5	6
Hydrophobia1	Ulcer	1	1	..	2	.4
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Fistula	1	1	2	.4
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Dis. of Skin, &c.	1	..	1	.3
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Diseases of the Skin, &c. }	1	3	1	5	1
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Inflammation	5	2	1	8	12
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Hæmorrhage	3	..	3	3
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Dropsy	1	17	21	39	34
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Abscess	1	1	4
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Mortification	4	3	7	5
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Scrofula	2	..	2	2
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Carcinoma	3	2	5	7
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Tumor	2	1	3	2
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Gout	1
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Atrophy	6	..	1	7	4
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Debility	16	4	11	31	15
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Malformations	4	4	1
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Sudden Deaths	9	12	5	26	13
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Diseases of Uncer- tain Seat	41	49	46	136	103
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Old Age, or Natural Decay	4	107	111	71
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Intemperance6
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Privation	1	1	1	3	.4
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Violent Deaths	12	11	5	28	24
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Deaths by Violence, Pri- vation, or Intemperance }	13	12	6	31	25
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Causes not specified ..	2	2	8
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Deaths from all Causes	489	439	332	1260	..
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	Weekly Average, 1838-9-40.	438	314	171	..	926
Epidemic, Endemic, & Contagious Diseases }	157	33	9	199	204	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Tetanus, 1. (2) Worms, 2. Stricture of œsophagus, 1.					

Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	195	139
St. Mary-le-bone; St. Pancras; Islington; Hackney	216	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	293	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	280	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	276	223
TOTAL. Males, 630. Females, 629. Sex of one not known. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1260	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, January 21st, 1841.

lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. General Register Office, January 28th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd January, 1841.

Temperature. °	Weeks ending	
	Jan. 16th	Jan. 23rd
Highest ...	39°	52°
Lowest....	22°	28°
Daily Mean	34°	40°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	73	13	..	86	36	Nephritis	1	1	.4
Measles	14	14	24	Diabetes	1	..	1	.3
Scarlatina	17	1	..	18	38	Stone5
Hooping Cough	36	36	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c.	2	2	4	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c.}	1	3	2	6	4
Diarrhoea	1	..	1	2	8	Childbed	8	..	8	7
Dysentery	1	1	2	Ovarian Dropsy	1	1	.2
Cholera	1	Dis. of Uterus, &c.	4	..	4	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c. ..}	..	12	1	13	9
Typhus (1)	5	10	3	18	46	Rheumatism	1	..	1	3
Erysipelas	3	4	2	9	7	Dis. of Joints, &c.	1	3	..	4	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles}	1	4	..	5	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	164	28	8	200	204	Fistula4
Cephalitis	7	1	..	8	11	Dis. of Skin, &c.3
Hydrocephalus	26	2	..	28	34	Diseases of the Skin, &c.}	1
Apoplexy	8	7	15	18	Inflammation	3	3	12
Paralysis	1	5	22	28	15	Hæmorrhage	1	1	2	3
Convulsions	40	..	1	41	60	Dropsy	3	26	14	43	34
Epilepsy	3	2	5	4	Abscess	3	1	..	4	4
Insanity	1	..	1	1	Mortification	1	5	5	11	5
Delirium Tremens	1	..	1	1	Scrofula	1	1	2
Dis. of Brain, &c. (2)	3	5	..	8	7	Carcinoma	1	1	7
Diseases of the Brain, Nerves, and Senses.}	77	26	32	135	151	Tumor	1	1	2
Quinsey	2	1	..	3	1	Gout	2	..	2	1
Bronchitis	4	16	18	38	9	Atrophy	7	1	1	9	4
Pleurisy	2	..	2	2	Debility	17	2	15	34	15
Pneumonia	84	26	14	124	72	Malformations	1	1	1
Hydrothorax	1	1	2	4	5	Sudden Deaths	8	3	11	13
Asthma	1	35	45	81	24	Diseases of Uncer- tain Seat	37	46	40	123	103
Consumption	32	100	4	137†	141	Old Age, or Natural Decay	5	108	113	71
Dis. of Lungs, &c. (3)	4	15	14	33	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	128	196	97	422	266	Privation	1	..	1	.4
Pericarditis	2	..	2	.6	Violent Deaths	6	9	4	19	24
Aneurism	1	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	6	11	4	21	25
Dis. of Heart, &c. ..	1	10	2	13	17	Causes not specified ..	4	2	1	7	8
Diseases of the Heart and Bloodvessels.}	1	12	3	16	18	Deaths from all Causes	461	360	306	1129	..
Teething	22	22	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis..	6	7	2	16†	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague, 1. Remittent Fever, 1. (2) Tetanus, 1. (3) Laryngitis, 1. (4) Worms, 2.					
Peritonitis	2						
Tabes Mesenterica ..	7	7	4						
Ascites	1						
Ulceration	1	1	1						
Hernia	1	1	2	2						
Colic or Ileus	1	1	..	2	1						
Dis. of Stomach, &c. (4)	3	2	1	6	4						
Hepatitis	1	..	1	2	1						
Jaundice	1	1	..	2	2						
Dis. of Liver, &c. ..	1	3	4	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	42	15	10	68	60						

West Districts.	North Districts.	Central Districts.	East Districts.	South Districts.	TOTAL.	Males, 570. Females, 559.	(Weekly average 1838-9-40, Males, 475. Females, 451.)	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	St. Mary-le-bone; St. Pancras; Islington; Hackney	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; Rotherhithe; Greenwich	1129	926			

540 Persons died of Small Pox in the eight weeks ending January 16th; 6 had previously had an attack of natural Small Pox; 4 had been inoculated for Small Pox; 80 had been Vaccinated; and 448 had not been Vaccinated.

Ages of the Eighty Persons who had been Vaccinated.

Ages of the Eighty Persons who had been Vaccinated.											
Months			Years								
2-6	6-12	1-3	3-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	TOTAL
6	11	16	13	11	2	7	4	5	3	2	80

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Two Persons were not stated; one died from "Consumption," and one from "Gastro-Enteritis."
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. General Register Office, January 28th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th January, 1841.

Temperature §	Weeks ending	
	Jan. 23rd	Jan. 30th
Highest ...	52°	53°
Lowest	28°	31°
Daily Mean	40°	40°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	58	6	..	64	36	Nephritis	1	1	2	.4
Measles	15	15	24	Diabetes3
Scarlatina	8	3	..	11	38	Stone5
Whooping Cough	49	49	28	Stricture	1	..	1	.4
Croup	8	8	7	Dis. of Kidneys, &c.	3	3	2.4
Thrush	8	8	5	Diseases of the Kid- neys, &c.}	..	2	4	6	4
Diarrhoea	3	1	3	7	8	Childbed	18	..	18	7
Dysentery	1	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c. .	..	2	1	3	2
Influenza	1	1	..	2	1	Childbed, Diseases of the Uterus, &c. ...}	..	21	1	22	9
Typhus (1)	15	9	2	26	46	Rheumatism	5	1	6	3
Erysipelas	3	4	2	9	7	Dis. of Joints, &c.	1	1	..	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	6	1	8	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	169	24	7	200	204	Fistula4
Cephalitis	4	2	..	6	11	Dis. of Skin, &c.3
Hydrocephalus	25	1	..	26	34	Diseases of the Skin, &c.}	1
Apoplexy	1	5	13	19	18	Inflammation	2	1	1	4	12
Paralysis	12	17	29	15	Hæmorrhage	1	3	1	5	3
Convulsions	67	2	..	69	60	Dropsy	3	15	13	31	34
Epilepsy	1	2	1	4	4	Abscess	2	..	2	4	4
Insanity	1	1	2	1	Mortification	3	1	4	5
Delirium Tremens	1	Scrofula	2	2	2
Dis. of Brain, &c. .	8	8	2	18	7	Carcinoma	6	1	7	7
Diseases of the Brain, Nerves, and Senses.}	106	33	34	173	151	Tumor	2
Quinsey	2	2	1	Gout	1	..	1	1
Bronchitis	5	8	15	28	9	Atrophy	9	9	4
Pleurisy	2	2	1	5	2	Debility	19	..	9	28	15
Pneumonia	67	29	13	110†	72	Malformations (3) ...	1	1	1
Hydrothorax	1	2	..	3	5	Sudden Deaths	6	8	4	18	13
Asthma	29	26	55	24	Diseases of Uncer- tain Seat	45	37	32	114	103
Consumption	23	96	6	125	141	Old Age, or Natural Decay	5	98	103	71
Dis. of Lungs, &c. .	4	9	9	22	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	104	175	70	350	266	Privation	1	1	2	.4
Pericarditis	2	..	2	.6	Violent Deaths (4) ..	10	13	5	28	24
Aneurism	1	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	10	14	6	30	25
Dis. of Heart, &c. .	..	17	2	19	17	Causes not specified ..	1	..	1	2	8
Diseases of the Heart and Bloodvessels.}	..	19	3	22	18	Deaths from all Causes	475	360	270	1107	..
Ceetling	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	5	2	17†	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Remittent Fever, 2.	(2) Stricture of œsophagus, 1.				
Tabes Mesenterica ..	7	7	4	(3) Spina bifida—Age 8 days.	(4) Salivation arising from mercury having been administered— Age 3 years.				
Ascites	1	..	1	1						
Ulceration	1	2	3	1						
Hernia	2	2	2						
Colic or Ileus	2	1	2	5	1						
Dis. of Stomach, &c. (2)	1	4	3	8	4						
Hepatitis	3	..	3	1						
Jaundice	1	1	1	3	2						
Dis. of Liver, &c. .	..	6	1	7	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	39	24	13	77	60						

West districts.	North districts.	Central districts.	East districts.	South districts.	TOTAL.	Males, 561. Females, 546.	(Weekly average 1838-9-40, Males, 475. Females, 451.)	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}	St. Mary-le-bone; St. Pancras; Islington; Hackney	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	1107	926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons were not stated; one died from "Pneumonia," and one from "Gastro-Enteritis."

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, February 4th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th February, 1841.

Temperature. °	Weeks ending	
	Jan. 30th	Feb. 6th
Highest ...	53°	42°
Lowest	31°	22°
Daily Mean	40°	30°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	49	10	..	59	36	Nephritis4
Measles	15	15	24	Diabetes	1	..	1	.3
Scarlatina	8	2	..	10	38	Stone5
Whooping Cough	57	57	28	Stricture4
Droup	5	5	7	Dis. of Kidneys, &c.	1	1	2.4
Brusht	2	2	5	Diseases of the Kid- neys, &c. }	..	1	1	2	4
Dysentery	1	1	..	2	8	Childbed	8	..	8	7
Cholera	1	Ovarian Dropsy2
Fluenza	1	1	1	Dis. of Uterus, &c. (2)	..	5	..	5	2
Dysphus	9	8	4	21	46	Childbed, Diseases of the Uterus, &c. ... }	..	13	..	13	9
Rysipelas	2	2	4	7	Rheumatism	1	1	2	3
Phthisis	1	Dis. of Joints, &c.	2	..	2	3
Hydrophobia1	Diseases of the Joints, Bones and Muscles }	..	3	1	4	6
Epidemic, Endemic, & Contagious Diseases }	147	24	8	179	204	Ulcer	1	1	.4
Ephalitis	10	2	..	12	11	Fistula4
Hydrocephalus	30	2	2	34	34	Dis. of Skin, &c.3
Opoplexy	2	7	6	15	18	Diseases of the Skin, } &c. }	1	1	1
Paralysis	5	6	11	15	Inflammation	3	2	1	6	12
Convulsions	41	41	60	Hæmorrhage	1	..	1	3
Pilepsy	1	2	1	4	4	Dropsy	5	14	6	25	34
Insanity	1	..	1	1	Abscess	1	2	..	3	4
Delirium Tremens	1	1	2	1	Mortification	3	3	1	7	5
Dis. of Brain, &c. .	4	2	2	8	7	Scrofula	2
Diseases of the Brain, } Nerves, and Senses. }	88	22	18	128	151	Carcinoma	6	3	9	7
Quinsey	1	1	..	2	1	Tumor	1	..	1	2
Tronchitis	5	8	9	22	9	Gout	2	2	1
Leurisy	2	Atrophy	4	1	..	5	4
Pneumonia	68	21	9	98	72	Debility	19	1	5	25	15
Hydrothorax	1	1	1	3	5	Malformations	1	1	1
Phthia	1	16	25	42	24	Sudden Deaths	8	8	2	18	13
Consumption	28	97	6	131	141	Diseases of Uncer- tain Seat	44	39	20	103	103
Dis. of Lungs, &c. .	6	5	7	18	12	Old Age, or Natural Decay	2	70	72	71
Diseases of the Lungs, and other Organs of Respiration }	110	149	57	316	266	Intemperance6
Pericarditis6	Privation	1	..	1	.4
Neurism	2	..	2	.6	Violent Deaths	14	3	3	20	24
Dis. of Heart, &c. .	1	10	6	17	17	Deaths by Violence, Pri- vation, or Intemperance }	14	4	3	21	25
Diseases of the Heart } and Bloodvessels. }	1	12	6	19	18	Causes not specified ..	2	2	..	4	8
Teething	15	15	17	Deaths from all Causes	444	293	189	926	..
Gastritis—Enteritis ..	8	6	1	15	18	Weekly Average, 1838-9-40.	438	314	171	..	926
Peritonitis	1	1	2	<p>N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—</p> <p>(1) Worms, 1. Stricture of œsophagus, 1. (2) Paramenia, 1.</p>					
Tabes Mesenterica ..	4	4	4						
Ascites	1	Deaths in the Week.	155	Average Weekly Deaths, 1838-9-40.			
Ulceration	1	..	1	1	North Districts.	178				
Hernia	1	1	..	2	2	Central Districts.	188	190			
Colic or Ileus	1	1	1	3	1	East Districts.	206				
Dis. of Stomach, &c. (1)	5	1	1	7	4	South Districts.	199	223			
Hepatitis	3	1	4	1	TOTAL. Males, 452. Females, 474.	926	926			
Jaundice	3	..	3	2	(Weekly average 1838-9-40, Males, 475. Females, 451.)	926				
Dis. of Liver, &c. .	2	6	1	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	37	22	5	64	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	155	139
North Districts.	178	163
St. Mary-le-bone; St. Pancras; Islington; Hackney	188	190
Central Districts.	206	211
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	199	223
East Districts.	926	926
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, February 11th, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Harnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th February, 1841.

Temperature. °	Weeks ending	
	Feb. 6th	Feb. 13th
Highest ...	42°	49°
Lowest	22°	24°
Daily Mean	30°	32°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	45	9	..	54	36	Nephritis4
Measles	13	13	24	Diabetes	2	..	2	.3
Scarlatina	8	4	..	12	38	Stone5
Hooping Cough	56	56	28	Stricture4
Croup	12	12	7	Dis. of Kidneys, &c. (2)	1	1	2	4	2.4
Thrush	6	6	5	Diseases of the Kid- neys, &c.}	1	3	2	6	4
Diarrhoea	1	2	3	8	Childbed	12	..	12	7
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	4	..	4	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c. ...}	..	17	..	17	9
Typhus	11	12	3	26	46	Rheumatism	2	3	5	3
Erysipelas	2	2	1	5	7	Dis. of Joints, &c.	1	1	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	2	3	6	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	154	29	7	190	204	Fistula4
Cephalitis	12	12	11	Dis. of Skin, &c.3
Hydrocephalus	41	3	..	44	34	Diseases of the Skin, &c.}	1
Apoplexy	1	7	10	18	18	Inflammation	3	1	..	4	12
Paralysis	13	14	27	15	Hæmorrhage	1	3	..	4	3
Convulsions	60	1	..	61	60	Dropsy	5	29	17	51	34
Epilepsy	1	1	2	4	Abscess	2	1	3	4
Insanity	1	1	1	Mortification	1	1	1	3	5
Delirium Tremens	1	Scrofula	1	1	2
Dis. of Brain, &c. ..	3	3	1	7	7	Carcinoma	1	3	1	5	7
Diseases of the Brain, Nerves, and Senses.}	117	28	27	172	151	Tumor	1	2	..	3	2
Quinsey	2	1	..	3	1	Gout	1	..	1	1
Bronchitis	1	15	8	24	9	Atrophy	12	..	3	15	4
Pleurisy	1	3	..	4	2	Debility	10	2	1	13	15
Pneumonia	68	22	6	96	72	Malformations	1
Hydrothorax	1	2	3	6	5	Sudden Deaths	9	16	5	31+	13
Œdema	1	31	38	70	24	Diseases of Uncer- tain Seat	44	60	29	134	103
Consumption	29	121	4	154	141	Old Age, or Natural Decay	2	118	120	71
Dis. of Lungs, &c. ..	4	10	4	18	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	107	205	63	375	266	Privation	1	2	3	.4
Pericarditis	1	..	1	.6	Violent Deaths	10	10	5	25	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	10	11	7	28	25
Dis. of Heart, &c. ..	3	10	5	18	17	Causes not specified ..	1	4	..	5	8
Diseases of the Heart, and Bloodvessels.}	3	12	5	20	18	Deaths from all Causes	469	394	273	1137	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis..	7	4	4	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Worms, 1. (2) Ischuria, 1.					
Peritonitis	1	1	..	2	2						
Tabes Mesenterica ..	4	4	4						
Ascites	1	1	1						
Ulceration	1	1	1						
Hernia	5	3	8	2						
Colic or Ileus	1	1	1						
Dis. of Stomach, &c. (1)	2	2	1	5	4						
Hepatitis	1						
Jaundice	3	..	3	2						
Dis. of Liver, &c. ..	1	6	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	31	21	12	64	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	162	139
North Districts.	197	163
St. Mary-le-bone; St. Pancras; Islington; Hackney	253	190
Central Districts.	247	211
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	278	223
East Districts.	1137	926
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwd; Rotherhithe; Greenwich		
TOTAL. Males, 569. Females, 568. (Weekly average 1838-9-40, Males, 475. Females, 451.)		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Person who died "Suddenly," was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, February 18th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th February, 1841.

Temperature. °	Weeks ending	
	Feb. 13th	Feb. 20th
Highest....	49°	51°
Lowest....	24°	40°
Daily Mean	32°	46°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	41	4	..	45	36	Nephritis4
Easles	6	6	24	Diabetes3
Scarlatina	10	3	..	13	38	Stone5
Crouping Cough	49	49	28	Stricture4
Croup	4	4	7	Dis. of Kidneys, &c.	2	2	2.4
Scarlet Fever	3	3	5	<i>Diseases of the Kid-</i>	2	2	4
Marasmus	1	1	..	2	8	<i>neys, &c.}</i>	2	2	4
Diarrhoea	1	..	1	2	Childbed	11	..	11	7
Dysentery	1	Ovarian Dropsy	1	..	1	.2
Cholera	1	2	1	4	1	Dis. of Uterus, &c.	2	1	3	2
Fluenza	7	11	4	22	46	<i>Childbed, Diseases of</i>	..	14	1	15	9
Phthisis (1)	2	6	2	10	7	<i>the Uterus, &c.}</i>
Cystitis	1	..	1	1	Rheumatism	2	1	3	3
Hydrophobia1	Dis. of Joints, &c.	5	1	6	3
<i>Idemic, Endemic, & }</i>	124	29	7	160	204	<i>Diseases of the Joints, }</i>	..	7	2	9	6
<i>Contagious Diseases }</i>	<i>Bones and Muscles }</i>
Epidemic	16	3	..	19	11	Ulcer4
Hydrocephalus	26	1	..	27	34	Fistula4
Epilepsy	6	8	14	18	Dis. of Skin, &c.3
Paralysis	12	11	24	15	<i>Diseases of the Skin, }</i>	1
Convulsions	57	1	..	58	60	<i>&c.}</i>
Alcoholism	6	..	6	4	Inflammation	4	2	..	6	12
Sanity	2	..	2	1	Hæmorrhage	2	1	3	3
Delirium Tremens	1	Dropsy	2	22	17	41	34
Dis. of Brain, &c. (2)	4	4	4	12	7	Abscess	1	2	2	5	4
<i>Diseases of the Brain, }</i>	103	35	23	162	151	Mortification	1	2	3	5
<i>Nerves, and Senses. }</i>	Scrofula	2
Measles	1	Carcinoma	4	5	9	7
Whooping Cough	8	6	9	23	9	Tumor	2	2	2
Scarlet Fever	1	1	2	2	Gout	2	2	4	1
Dysentery	59	17	9	85	72	Atrophy	3	2	2	7	4
Neumonia	1	5	2	8	5	Debility	14	..	12	26	15
Hydrothorax	28	29	57	24	Malformations	2	2	1
Phthisis	31	111	5	147	141	Sudden Deaths	2	10	5	17	13
Consumption	3	17	12	32	12	<i>Diseases of Uncer-</i>	30	47	48	125	103
Dis. of Lungs, &c. (3)	<i>tain Seat}</i>
<i>Diseases of the Lungs, and }</i>	102	185	67	354	266	<i>Old Age, or Natural }</i>	..	3	89	92	71
<i>Other Organs of Respiration }</i>	<i>Decay}</i>
Pericarditis	1	1	.6	Intemperance	16
Neurism	1	1	.6	Privation	1	.4
Dis. of Heart, &c. ..	4	11	6	21	17	Violent Deaths	15	11	4	31	24
<i>Diseases of the Heart }</i>	6	11	6	23	18	<i>Deaths by Violence, Pri-</i>	15	12	4	32	25
<i>and Bloodvessels. }</i>	<i>vation, or Intemperance }</i>
Scrophulous	17	17	17	Causes not specified	3	1	4	8
Gastritis—Enteritis ..	8	8	4	20	18	Deaths from all Causes	415	372	267	1056	..
Peritonitis	1	..	1	2	Weekly Average, 1838-9-40.	438	314	171	..	926
Abdominal Mesenterica ..	6	1	..	7	4	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Scites	1	(1) Ague, 1.	(2) Tetanus, 1.	(3) Chorea, 1.	(4) Stricture of œsophagus, 2.	Hæmatemesis, 1.	
Ulceration	1	(3) Laryngitis, 1.					
Erysipelas	2						
Scrophulous	1	4	3	8	1						
Colic or Ileus	5	2	7	4						
Dis. of Stomach, &c. (4)	..	1	1	2	1						
Hepatitis	2	1	2	5	2						
Jaundice	1	5	5	11	7						
Dis. of Liver, &c.						
<i>Diseases of the Stomach, }</i>	35	26	17	78	60						
<i>Liver, and other Or-</i>						
<i>gans of Digestion ..}</i>						

Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	164	139
St. Mary-le-bone; St. Pancras; Islington; Hackney	177	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	234	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	243	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	238	223
TOTAL. Males, 507. Females, 549. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1056	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,390.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons were not stated: one died from "Paralysis," and one by "Violence."

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, February 25th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th February, 1841.

Temperature. °	Weeks ending	
	Feb. 20th	Feb. 27th
Highest....	51°	52°
Lowest....	40°	34°
Daily Mean	46°	42°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	33	3	..	36	36	Nephritis	2	..	2	.4
Measles	8	8	24	Diabetes	1	..	1	.3
Scarlatina	9	2	..	11	38	Stone5
Whooping Cough	67	67	28	Stricture4
Croup	4	4	7	Dis. of Kidneys, &c.	3	..	3	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	6	..	6	4
Diarrhoea	3	3	3	9	8	Childbed	9	..	9	7
Dysentery	1	1	1	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	1	2	2
Influenza	1	4	7	12	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	1	11	9
Erysipelas	10	14	6	30	46	Rheumatism	1	..	1	3
Gonorrhoea	3	5	..	8	7	Dis. of Joints, &c.	3	3	1	7	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	3	4	1	8	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases}	141	32	17	190	204	Fistula4
Ephalitis	14	5	..	19	11	Dis. of Skin, &c.	1	..	1	.3
Hydrocephalus	41	4	..	45	34	Diseases of the Skin, &c.}	1	1	..	2	1
Idiocy	3	8	7	18	18	Inflammation	5	4	1	10	12
Paralysis	6	15	21	15	Hæmorrhage	1	1	3
Convulsions	58	58	60	Dropsy	3	28	13	44	34
Epilepsy	2	..	2	4	Abscess	1	4	..	5	4
Insanity	1	1	1	Mortification	4	4	5	13	5
Delirium Tremens	2	..	2	1	Scrofula	2	2	2
Dis. of Brain, &c. (2)	7	6	2	15	7	Carcinoma	3	3	6	7
Diseases of the Brain, Nerves, and Senses.}	123	33	25	181	151	Tumor	2	1	3	2
Quinsey	1	1	1	Gout	2	1	3	1
Bronchitis	5	10	8	23	9	Atrophy	2	1	..	3	4
Pleurisy	1	1	2	Debility	15	3	9	27	15
Pneumonia	70	21	13	104	72	Malformations	1
Hydrothorax	1	5	4	10	5	Sudden Deaths	3	12	4	19	13
Asthma	22	15	37	24	Diseases of Uncer- tain Seat	36	63	37	136	103
Consumption	27	86	9	122	141	Old Age, or Natural Decay	3	75	78	71
Dis. of Lungs, &c. (3)	2	6	8	16	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	106	150	58	314	266	Privation	2	..	2	.4
Pericarditis	1	..	1	.6	Violent Deaths	6	11	..	18†	24
Aneurism	2	..	2	.6	Deaths by Violence, Pri- vation, or Intemperance}	6	13	..	20	25
Dis. of Heart, &c. ..	3	19	9	31	17	Causes not specified	1	1	8
Diseases of the Heart and Bloodvessels.}	3	22	9	34	18	Deaths from all Causes	455	349	235	1040	..
Teething	18	18	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	3	4	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	(1) Ague, 1. (2) Tetanus, 1.					
Tubercles Mesenterica ..	6	6	4	(3) Laryngitis, 1. (4) Worms, 1. Stricture of œsophagus, 2.					
Ascites	1	1	1						
Ulceration	1	1	1						
Hernia	1	1	2	2						
Colic or Ileus	2	1	3	1						
Dis. of Stomach, &c. (4)	5	..	2	7	4						
Hepatitis	2	..	2	1						
Jaundice	2						
Dis. of Liver, &c.	4	1	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	12	11	59	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	143	139
North Districts.	183	163
St. Mary-le-bone; St. Pancras; Islington; Hackney	234	190
Central Districts.	235	211
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	245	223
East Districts.	1040	926
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich		
TOTAL. Males, 533. Females, 507. (Weekly average 1838-9-40, Males, 475. Females, 451.)		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Persons who died a "Violent Death," was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, March 4th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th March, 1841.

Temperature. °	Weeks ending	
	Feb. 27th	Mar. 6th
Highest ...	52°	50°
Lowest	34°	35°
Daily Mean	42°	41°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	3	..	24	36	Nephritis4
Measles	16	16	24	Diabetes3
Scarlatina	8	8	38	Stone5
Hooping Cough	63	63	28	Stricture4
Croup	3	3	7	Dis. of Kidneys, &c.	1	3	4	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	1	3	4	4
Diarrhœa	1	3	3	7	8	Childbed	11	..	11	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	4	1	5	2
Influenza	7	2	7	16	1	Childbed, Diseases of the Uterus, &c. ...}	..	15	1	16	9
Typhus (1)	11	21	2	34	46	Rheumatism	3	1	4	3
Erysipelas	2	2	2	6	7	Dis. of Joints, &c.	2	5	..	7	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	2	8	1	11	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	134	31	14	179	204	Fistula4
Cephalitis	11	1	2	14	11	Dis. of Skin, &c.3
Hydrocephalus	34	1	..	35	34	Diseases of the Skin, &c.}	1
Apoplexy	4	7	8	19	18	Inflammation	9	3	1	13	12
Paralysis	6	9	15	15	Hæmorrhage	1	2	..	3	3
Convulsions	71	71	60	Dropsy	3	22	23	48	34
Epilepsy	1	5	2	8	4	Abscess	3	3	4
Insanity	2	..	2	1	Mortification	1	6	7	5
Delirium Tremens	1	..	1	1	Scrofula	2	1	..	3	2
Dis. of Brain, &c. (2)	5	8	2	15	7	Carcinoma	8	1	9	7
Diseases of the Brain, Nerves, and Senses.}	126	31	23	180	151	Tumor	2	..	2	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	4	10	7	21	9	Atrophy	4
Pleurisy	2	2	2	Debility	13	..	12	25	15
Pneumonia	60	24	6	90	72	Malformations	1
Hydrothorax	3	1	4	5	Sudden Deaths	3	6	2	11	13
Asthma	20	29	49	24	Diseases of Uncer- tain Seat	34	45	46	125	103
Consumption	30	105	12	147	141	Old Age, or Natural Decay	4	102	106	71
Dis. of Lungs, &c. (3)	5	11	5	21	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	101	173	62	336	266	Privation	1	1	.4
Pericarditis	2	..	2	4	.6	Violent Deaths	7	10	4	23†	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	7	11	5	25†	25
Dis. of Heart, &c.	12	3	15	17	Causes not specified ..	2	2	1	5	8
Diseases of the Heart and Bloodvessels. }	2	12	5	19	18	Deaths from all Causes	451	354	272	1079	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	13	8	2	23	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	2	(1) Ague, 1. Remittent Fever, 1. (2) Tetanus, 1.					
Tabes Mesenterica ..	5	5	4	(3) Laryngitis, 2. (4) Intussusception, 1. Stricture of œsophagus, 1.					
Ascites	1						
Ulceration	1	..	1	1						
Hernia	1	1	2						
Colic or Ileus	2	1	..	3	1						
Dis. of Stomach, &c. (4)	1	2	1	4	4						
Hepatitis	1						
Jaundice	1	..	2	3	2						
Dis. of Liver, &c. ..	2	8	2	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	43	21	9	73	60						

West Districts.	North Districts.	Central Districts.	East Districts.	South Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					145	139
St. Mary-le-bone; St. Pancras; Islington; Hackney					210	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					219	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					219	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; Rotherhithe; Greenwich					286	223
TOTAL. Males, 527. Females, 552. (Weekly average 1838-9-40, Males, 475. Females, 451.)					1079	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons who died "Violent Deaths," were not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, March 11th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th March, 1841.

Temperature. §	Weeks ending	
	Mar. 6th	Mar. 13th
Highest . . .	50°	61°
Lowest . . .	35°	40°
Daily Mean	41°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	34	8	..	42	36	Nephritis	1	..	1	.4
Measles	2	2	24	Diabetes3
Erysipelas	9	2	..	11	38	Stone5
Crouping Cough	53	53	28	Stricture4
Whooping Cough	12	12	7	Dis. of Kidneys, &c. (3)	2	2	3	7	2.4
Scarlatina	3	3	5	Diseases of the Kid- neys, &c.	2	3	3	8	4
Erysipelas	2	1	1	4	8	Childbed	7	..	7	7
Enteritis	2	Ovarian Dropsy2
Diarrhoea	1	Dis. of Uterus, &c.	2	..	2	2
Typhoid	9	10	10	29	1	Childbed, Diseases of the Uterus, &c.	9	..	9	9
Typhus	5	11	5	21	46	Rheumatism	3	..	3	3
Erysipelas	1	5	..	6	7	Dis. of Joints, &c.	3	..	1	4	3
Phthisis	1	Diseases of the Joints, Bones and Muscles	3	3	1	7	6
Dropsy1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases	130	37	16	183	204	Fistula	1	..	1	.4
Phthisis	12	2	..	14	11	Dis. of Skin, &c.3
Hydrocephalus	35	1	..	36	34	Diseases of the Skin, &c.	1	1	2	1
Paralysis	2	6	7	15	18	Inflammation	5	2	..	7	12
Convulsions	66	66	60	Hæmorrhage	1	3	..	4	3
Epilepsy	2	1	3	4	Dropsy	3	26	18	47	34
Mania	1	Abscess	2	1	..	3	4
Delirium Tremens	1	Mortification	1	2	3	6	5
Dis. of Brain, &c. (1)	6	5	1	12	7	Scrofula	1	1	1	3	2
Diseases of the Brain, Nerves, and Senses	121	19	17	157	151	Carcinoma	3	2	5	7
Convulsions	2	5	11	18	9	Tumor	1	1	2
Encephalitis	1	1	2	2	Gout	2	1	3	1
Paralysis	54	16	9	79	72	Atrophy	5	..	1	6	4
Hydrothorax	2	3	4	9	5	Debility	8	2	8	18	15
Asthma	1	20	25	46	24	Malformations	4	4	1
Consumption	33	103	6	142	141	Sudden Deaths	7	6	7	20	13
Dis. of Lungs, &c.	3	5	10	18	12	Diseases of Uncer- tain Seat	37	48	42	127	103
Diseases of the Lungs, and other Organs of Respiration	95	153	66	314	266	Old Age, or Natural Decay	8	106	114	71
Pericarditis6	Intemperance	1	..	1	.6
Neurism	1	..	1	.6	Privation4
Dis. of Heart, &c.	4	12	10	26	17	Violent Deaths	8	11	2	23†	24
Diseases of the Heart and Bloodvessels.	4	13	10	27	18	Deaths by Violence, Pri- vation, or Intemperance	8	12	2	24	25
Enteritis	17	17	17	Causes not specified	2	1	1	4	8
Enteritis—Enteritis	14	10	4	28	18	Deaths from all Causes	439	333	275	1049	..
Peritonitis	2	..	2	2	Weekly Average, 1838-9-40.	438	314	171	..	926
Abdominal Mesenterica	4	4	4	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Tetanus, 1. (2) Stricture of œsophagus, 2. (3) Ischuria, 1.					
Scites	1						
Ulceration	2	2	1						
Peritonitis	3	1	4	2						
Hæmorrhage	1	..	1	1						
Hæmorrhage or Ileus	3	1	4	4						
Dis. of Stomach, &c. (2)	..	1	..	1	1						
Hepatitis	1	..	1	1						
Jaundice	1	..	1	2	2						
Dis. of Liver, &c.	1	6	1	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion	37	26	10	73	60						

Wards.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	190	139
St. Mary-le-bone; St. Pancras; Islington; Hackney	192	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	203	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	222	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	242	223
TOTAL. Males, 528. Females, 521. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1049	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons who died "Violent Deaths," were not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, March 18th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th March, 1841.

Temperature. °	Weeks ending	
	Mar. 13th	Mar. 20th
Highest ...	61°	62°
Lowest	40°	38°
Daily Mean	51°	50°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	15	15	36	Nephritis	1	1	2	.4
Measles	6	6	24	Diabetes	1	..	1	.3
Scarlatina	7	7	38	Stone5
Whooping Cough	51	51	28	Stricture4
Consumption	7	7	7	Dis. of Kidneys, &c.	1	3	4	2.4
Whooping Cough	1	1	5	Diseases of the Kid- neys, &c.}	..	3	4	7	4
Whooping Cough	6	3	1	10	8	Childbed	13	..	13	7
Whooping Cough	1	1	2	2	Ovarian Dropsy2
Whooping Cough	1	Dis. of Uterus, &c.	5	..	5	2
Whooping Cough	11	4	12	27	1	Childbed, Diseases of } the Uterus, &c. ... }	..	18	..	18	9
Whooping Cough	5	12	2	19	46	Rheumatism	3	2	5	3
Whooping Cough	1	3	2	6	7	Dis. of Joints, &c.}	1	1	1	3	3
Whooping Cough	1	..	1	1	Diseases of the Joints, Bones and Muscles }	1	4	3	8	6
Whooping Cough1	Ulcer4
Whooping Cough	110	24	18	152	204	Fistula	1	1	.4
Whooping Cough	11	2	..	13	11	Dis. of Skin, &c.}3
Whooping Cough	38	1	..	39	34	Diseases of the Skin, &c.}	1	1	1
Whooping Cough	1	7	11	19	18	Inflammation	2	2	12
Whooping Cough	3	8	11	15	Hæmorrhage	2	1	..	3	3
Whooping Cough	64	64	60	Dropsy	2	23	18	43	34
Whooping Cough	3	..	3	4	Abscess	2	1	..	3	4
Whooping Cough	1	1	2	1	Mortification	2	4	6	5
Whooping Cough	1	..	1	1	Scrofula	5	5	2
Whooping Cough	7	4	1	12	7	Carcinoma	2	3	5	7
Whooping Cough	121	22	21	164	151	Tumor	1	..	1	2
Whooping Cough	1	Gout	2	..	2	1
Whooping Cough	3	3	7	13	9	Atrophy	8	..	1	9	4
Whooping Cough	1	2	..	3	2	Debility	13	5	8	26	15
Whooping Cough	65	15	4	84	72	Malformations	1
Whooping Cough	1	3	2	6	5	Sudden Deaths	2	7	5	14	13
Whooping Cough	19	21	40	24	Diseases of Uncer- tain Seat	36	44	39	119	103
Whooping Cough	33	109	10	153†	141	Old Age, or Natural Decay	2	79	81	71
Whooping Cough	5	12	6	23	12	Intemperance	1	..	1	.6
Whooping Cough	108	163	50	322	266	Privation	1	1	.4
Whooping Cough6	Violent Deaths	8	13	4	26†	24
Whooping Cough	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	8	14	5	28	25
Whooping Cough	2	11	4	17	17	Causes not specified ..	1	1	1	3	8
Whooping Cough	2	12	4	18	18	Deaths from all Causes	428	329	231	990	..
Whooping Cough	22	22	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Whooping Cough	6	3	1	10	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—					
Whooping Cough	1	1	2	2	(1) Laryngitis, 2.					
Whooping Cough	7	7	4	(2) Worms, 2.					
Whooping Cough	1	..	1	1						
Whooping Cough	2	1	3	1						
Whooping Cough	1	..	1	2						
Whooping Cough	2	..	2	1						
Whooping Cough	4	2	..	6	4						
Whooping Cough	2	1	3	1						
Whooping Cough	2	..	2	1						
Whooping Cough	1	2	..	3	2						
Whooping Cough	1	6	2	9	7						
Whooping Cough	41	22	6	69	60						
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											
Whooping Cough											

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th March, 1841.

Temperature, °	Weeks ending	
	Mar. 20th	Mar. 27th
Highest ...	62°	64°
Lowest	38°	43°
Daily Mean	50°	52°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	19	3	..	22	36	Nephritis4
Measles	7	1	..	8	24	Diabetes	2	..	2	.3
Scarlatina	11	11	38	Stone	1	..	1	.5
Whooping Cough	50	50	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c. (1)	2	2	2.4
Whooping Cough	3	3	5	Diseases of the Kid- neys, &c.}	..	3	2	5	4
Whooping Cough	1	1	8	Childbed	7	..	7	7
Whooping Cough	2	Ovarian Dropsy2
Whooping Cough	1	Dis. of Uterus, &c.	1	1	2	2
Whooping Cough	1	Childbed, Diseases of the Uterus, &c. ..}	..	8	1	9	9
Whooping Cough	1	Rheumatism	2	..	2	3
Whooping Cough	1	Dis. of Joints, &c.	1	..	1	3
Whooping Cough	1	Diseases of the Joints, Bones and Muscles}	..	3	..	3	6
Whooping Cough	1	Ulcer	1	1	2	.4
Whooping Cough	1	Fistula4
Whooping Cough	1	Dis. of Skin, &c.3
Whooping Cough	1	Diseases of the Skin, &c.}	..	1	1	2	1
Whooping Cough	1	Inflammation	12
Whooping Cough	1	Hæmorrhage	1	5	1	7	3
Whooping Cough	1	Dropsy	1	8	14	23	34
Whooping Cough	1	Abscess	1	3	..	4	4
Whooping Cough	1	Mortification	1	5	3	9	5
Whooping Cough	1	Scrofula	1	1	2
Whooping Cough	1	Carcinoma	1	2	4	7	7
Whooping Cough	1	Tumor	2
Whooping Cough	1	Gout	1	1	2	1
Whooping Cough	1	Atrophy	4	..	1	5	4
Whooping Cough	1	Debility	13	2	7	22	15
Whooping Cough	1	Malformations	1
Whooping Cough	1	Sudden Deaths	8	7	8	23	13
Whooping Cough	1	Diseases of Uter- tain Seat	30	33	40	103	103
Whooping Cough	1	Old Age, or Natural Decay	4	78	82	71
Whooping Cough	1	Intemperance6
Whooping Cough	1	Privation	1	1	.4
Whooping Cough	1	Violent Deaths	5	12	4	21	24
Whooping Cough	1	Deaths by Violence, Pri- vation, or Intemperance}	6	12	4	22	25
Whooping Cough	1	Causes not specified	1	1	8
Whooping Cough	1	Deaths from all Causes	371	284	210	865	..
Whooping Cough	1	Weekly Average, 1838-9-40.	438	314	171	..	926

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Cystitis, I.

Causes of Death	Small Pox	Measles	Scarlatina	Whooping Cough	Influenza	Pneumonia Pleurisy, & Bronchitis	Asthma	Paralysis	Childbirth	Consump- tion	All Causes	Tempera- ture
West districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}											
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney											
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London											
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar											
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich											
TOTAL.	291	76	72	155	6	641	347	104	44	534	4687	36°
Deaths in the Week.	110	182	182	182	182	182	182	182	182	182	182	182
Average Weekly Deaths, 1838-9-40.	110	182	182	182	182	182	182	182	182	182	182	182

The Number of Deaths in 12 Weeks from Epidemic Diseases and other Causes.

Causes of Death	Small Pox	Measles	Scarlatina	Whooping Cough	Influenza	Pneumonia Pleurisy, & Bronchitis	Asthma	Paralysis	Childbirth	Consump- tion	All Causes	Tempera- ture
Four Weeks.	291	76	72	155	6	641	347	104	44	534	4687	36°
January 3rd to 30th	194	42	46	229	19	482	206	83	40	551	4159	37°
February 31st to February 27th	103	31	37	217	96	405	153	46	38	568	3983	48°
February 28th to March 27th	103	31	37	217	96	405	153	46	38	568	3983	40°
TOTAL	588	149	155	601	121	1528	706	233	122	1656	12829	40°

Diarrhoea and Dysentery have been more fatal than is usual in the season; Puerperal Fever has prevailed; Small Pox, Measles, and Scarlatina have gone on increasing; Whooping Cough and Influenza are the reigning epidemics. The influence of the cold weather was most remarkable in inflammations of the Lungs, and Paralysis. The deaths of persons above 60 amounted to 266 weekly through the season, or 56 per Cent. above the average of the 3 years 1838-40.

General Register Office, April 1st, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 3rd April, 1841.

Temperature. °	Weeks ending	
	Mar. 27th	Apr. 3rd
Highest ...	64°	60°
Lowest	43°	38°
Daily Mean	52°	49°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	12	4	..	17	36	Nephritis4
Measles	8	8	24	Diabetes3
Scarlatina	11	1	..	12	38	Stone5
Hooping Cough	54	54	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c.	2	2	4	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	2	2	4	4
Diarrhea	3	2	..	5	8	Childbed	6	..	6	7
Dysentery	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	3	..	3	2
Influenza	11	3	7	21	1	Childbed, Diseases of the Uterus, &c. ..}	..	9	..	9	9
Typhus (1)	5	10	5	20	46	Rheumatism	1	..	1	3
Erysipelas	3	3	6	7	Dis. of Joints, &c.	1	5	..	6	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	6	..	7	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	116	24	15	156	204	Fistula	1	..	1	.4
Cephalitis	4	3	..	7	11	Dis. of Skin, &c.3
Hydrocephalus	35	1	..	36	34	Diseases of the Skin, &c.}	..	1	..	1	1
Apoplexy	2	8	9	19	18	Inflammation	1	1	..	2	12
Paralysis	2	7	9	15	Hæmorrhage	6	2	8	3
Convulsions	47	3	..	50	60	Dropsy	6	18	9	33	34
Epilepsy	2	2	1	5	4	Abscess	1	5	..	6	4
Insanity	1	..	1	1	Mortification	1	1	3	5	5
Delirium Tremens	1	1	2	1	Scrofula	1	1	2	2
Dis. of Brain, &c. (2)	1	5	2	8	7	Carcinoma	1	4	5	7
Diseases of the Brain, Nerves, and Senses.}	91	26	20	137	151	Tumor	1	..	1	2
Quinsey	1	Gout	2	2	1
Bronchitis	2	6	5	13	9	Atrophy	4	2	..	6	4
Pleurisy	1	1	2	2	Debility	10	4	8	22	15
Pneumonia	44	11	5	60	72	Malformations	1	1	1
Hydrothorax	2	2	4	5	Sudden Deaths	8	11	6	25	13
Asthma	11	22	33	24	Diseases of Uncer- tain Seat	32	51	35	118	103
Consumption	34	110	3	147	141	Old Age, or Natural Decay	68	68	71
Dis. of Lungs, &c. ..	5	6	7	18	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	85	147	45	277	266	Privation	1	1	.4
Pericarditis	1	..	1	.6	Violent Deaths	11	10	3	27	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	12	10	3	28	25
Dis. of Heart, &c. ..	2	10	4	16	17	Causes not specified ..	3	1	1	5	8
Diseases of the Heart and Bloodvessels. }	2	12	4	18	18	Deaths from all Causes	376	304	200	884	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	3	2	1	6	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	(1) Remittent Fever, 1.					
Tabes Mesenterica ..	8	8	4	(2) Tetanus, 2.					
Ascites	1	..	1	1	(3) Stricture of œsophagus, 1.					
Ulceration	3	..	3	1						
Hernia	2						
Colic or Ileus	3	..	1	4	1						
Dis. of Stomach, &c. (3)	..	2	3	5	4						
Hepatitis	1						
Jaundice	1	1	..	2	2						
Dis. of Liver, &c.	6	2	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	34	15	7	56	60						
							Deaths in the		Average Weekly		

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	132	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	161	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	164	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	192	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	235	223
TOTAL. Males, 453. Females, 431. (Weekly average 1838-9-40, Males, 475. Females, 451.)	884	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Four Persons were not stated. One of whom died from "Small Pox," and Three by "Violence."
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, April 8th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 10th April, 1841.

Temperature. °	Weeks ending	
	Apr. 3rd	Apr. 10th
Highest....	60°	56°
Lowest....	38°	38°
Daily Mean	49°	48°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	22	1	..	23	36	Nephritis4
Measles	5	5	24	Diabetes3
Scarlatina	11	11	38	Stone	1	..	1	.5
Whooping Cough	53	53	28	Stricture4
Croup	11	11	7	Dis. of Kidneys, &c. (4)	..	2	1	3	2.4
Thrush	4	..	1	5	5	Diseases of the Kid- neys, &c.}	..	3	1	4	4
Diarrhoea	3	..	2	5	8	Childbed	5	..	5	7
Dysentery	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. (5)	..	5	..	5	2
Influenza	7	2	4	13	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	..	10	9
Typhus (1)	5	10	2	17	46	Rheumatism	1	..	1	3
Erysipelas	3	..	3	6	7	Dis. of Joints, &c. (6)	3	1	..	4	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	3	2	..	5	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases}	124	14	12	150	204	Fistula4
Cephalitis	4	1	..	5	11	Dis. of Skin, &c.}	..	1	1	2	.3
Hydrocephalus	37	1	..	38	34	Diseases of the Skin, &c.}	..	1	2	3	1
Apoplexy	1	9	6	16	18	Inflammation	1	..	1	2	12
Paralysis	2	3	5	15	Hæmorrhage	1	..	1	3
Convulsions	46	1	..	47	60	Dropsy	3	14	8	25	34
Epilepsy	2	1	3	4	Abscess	1	1	4
Insanity	1	Mortification	1	5	6	5
Delirium Tremens	1	..	1	1	Scrofula	1	..	1	2
Dis. of Brain, &c. ..	4	4	1	9	7	Carcinoma	4	3	7	7
Diseases of the Brain, Nerves, and Senses.}	92	21	11	124	151	Tumor	2	..	2	2
Quinsey (2)	1	1	1	Gout	3	2	5	1
Bronchitis	2	4	12	18	9	Atrophy	4	1	1	6	4
Pleurisy	3	1	4	2	Debility	17	2	8	27	15
Pneumonia	34	10	9	53	72	Malformations	1	1	1
Hydrothorax	3	1	4	5	Sudden Deaths	2	8	2	12	13
Asthma	7	10	17	24	Diseases of Uncer- tain Seat	29	37	30	96	103
Consumption	25	107	7	139	141	Old Age, or Natural Decay	2	43	45	71
Dis. of Lungs, &c. ..	3	8	4	15	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	65	142	44	251	266	Privation4
Pericarditis6	Violent Deaths	5	16	1	23†	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	5	17	1	24	25
Dis. of Heart, &c. ..	8	8	4	20	17	Causes not specified ..	2	1	..	3	8
Diseases of the Heart and Bloodvessels.}	8	8	4	20	18	Deaths from all Causes	354	269	156	780	..
Teething	15	15	17	Weekly Average, 1838-9-40	438	314	171	..	926
Gastritis—Enteritis ..	6	4	2	12	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	3	..	3	2	(1) Remittent Fever, 1.	(2) Laryngitis, 1.				
Tubercles Mesenterica ..	2	2	4	(3) Disease of Spleen, 1.	(4) Cystitis, 1.				
Ascites	1	..	1	1	(5) Rupture of Uterus, 1.	(6) Arthritis, 2.				
Ulceration	1	1	..	2	1						
Hernia	1	1	2						
Colic or Ileus	3	3	1						
Dis. of Stomach, &c. ..	1	1	4						
Hepatitis	1	1	1						
Jaundice	1	1	2						
Dis. of Liver, &c. (3)	1	2	..	3	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	26	11	8	45	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					105		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					132		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					159		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					183		211			
TOTAL. Males, 402. Females, 378.						201		223			
(Weekly average 1838-9-40, Males, 475. Females, 451.)						780		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Person who died a "Violent Death," was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, April 15th, 1841.

1910

General Register Office, April 1844, 1845.

A TABLE OF MORTALITY

FOR THE

Metropolis,*.

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th April, 1841.

Temperature, °	Weeks ending	
	Apr. 10th	Apr. 17th
Highest ...	56°	57°
Lowest	38°	37°
Daily Mean	48°	46°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.				
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards						
Small Pox	16	2	..	18	36	Nephritis4				
Measles	3	3	24	Diabetes3				
Scarlatina	3	3	38	Stone	1	1	.5				
Whooping Cough	42	42	28	Stricture	1	1	.4				
Croup	9	9	7	Dis. of Kidneys, &c. (1)	2	1	3	2.4				
Thrush	4	4	5	Diseases of the Kid- neys, &c.}	..	2	3	5	4				
Diarrhoea	3	1	4	8	8	Childbed	4	..	4	7				
Dysentery	1	2	3	2	Ovarian Dropsy2				
Cholera	1	Dis. of Uterus, &c.}	..	2	..	2	2				
Influenza	5	1	3	9	1	Childbed, Diseases of the Uterus, &c.}	..	6	..	6	9				
Typhus	8	13	..	21	46	Rheumatism	5	1	6	3				
Erysipelas	3	..	3	7	Dis. of Joints, &c.}	..	1	..	1	3				
Syphilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles}	..	6	1	7	6				
Hydrophobia1	Ulcer4				
Epidemic, Endemic, & Contagious Diseases}	94	22	9	125	204	Fistula4				
Cephalitis	14	14	11	Dis. of Skin, &c.}3				
Hydrocephalus	35	..	1	36	34	Diseases of the Skin, &c.}	1				
Apoplexy	1	11	10	22	18	Inflammation	5	5	12				
Paralysis	1	5	14	20	15	Hæmorrhage	1	2	3	3				
Convulsions	44	44	60	Dropsy	3	18	11	32	34				
Epilepsy	4	..	4	4	Abscess	4	1	..	5	4				
Insanity	1	1	1	Mortification	2	1	3	5				
Delirium Tremens	1	..	1	1	Scrofula	2	2	2				
Dis. of Brain, &c.}	4	5	1	10	7	Carcinoma	8	2	10	7				
Diseases of the Brain, Nerves, and Senses.}	99	26	27	152	151	Tumor	1	2	3	2				
Quinsey	1	1	..	2	1	Gout	1				
Bronchitis	1	9	5	15	9	Atrophy	9	..	1	10	4				
Pleurisy	1	..	1	2	Debility	12	2	5	19	15				
Pneumonia	46	9	4	59	72	Malformations	3	3	1				
Hydrothorax	5	5	5	Sudden Deaths	5	10	2	17	13				
Asthma	1	10	13	24	24	Diseases of Uncer- tain Seat	43	43	26	112	103				
Consumption	35	130	6	171	141	Old Age, or Natural Decay	1	56	57	71				
Dis. of Lungs, &c.}	5	9	3	17	12	Intemperance6				
Diseases of the Lungs, and other Organs of Respiration}	89	169	36	294	266	Privation4				
Pericarditis	2	2	.6	Violent Deaths	5	12	1	18	24				
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	5	12	1	18	25				
Dis. of Heart, &c.}	7	7	7	21	17	Causes not specified ..	1	1	..	3	8				
Diseases of the Heart and Bloodvessels.}	9	7	7	23	18	Deaths from all Causes	363	311	173	848	..				
Teething	16	16	17	Weekly Average, 1838-9-40.	438	314	171	..	926				
Gastritis—Enteritis ..	3	7	2	12	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Cystitis, 1.									
Peritonitis	1	..	1	2										
Tabes Mesenterica ..	1	1	4	Deaths in the Week.	141	Average Weekly Deaths, 1838-9-40.							
Ascites	1	162	163								
Ulceration	1	1	1	168	190								
Hernia	2	..	2	2	161	211								
Colic or Ileus	1	1	1	216	223								
Dis. of Stomach, &c.}	1	2	1	4	4	848	926								
Hepatitis	3	3	2	TOTAL. Males, 415. Females, 433. (Weekly average 1838-9-40, Males, 475. Females, 451.)									
Jaundice	1	5	7										
Dis. of Liver, &c.}	..	4										
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	23	16	7	46	60										

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	162	163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	168	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	161	211
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	216	223
		848	926

TOTAL. Males, 415. Females, 433.

(Weekly average 1838-9-40, Males, 475. Females, 451.)

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Person was not stated; cause of death not known.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, April 22nd, 1841.

A TABLE OF MORTALITY

FOR THE

FOR THE
Metropolis.*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th April, 1841.

Temperature. °	Weeks ending	
	Apr. 17th	Apr. 24th
Highest ...	57°	59°
Lowest....	37°	40°
Daily Mean	46°	48°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	15	2	..	17	36	Nephritis4
Measles	3	3	24	Diabetes3
Scarlatina	8	1	..	9	38	Stone5
Whooping Cough	61	61	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	5	2	7	2.4
Thrush	3	3	5	<i>Diseases of the Kid-</i>	..	5	2	7	4
Diarrhœa	3	..	2	5	8	<i>neys, &c.</i>	..	5	2	7	4
Dysentery	1	1	2	Childbed	5	..	5	7
Cholera	1	Ovarian Dropsy	2	..	2	.2
Influenza	4	1	3	8	1	Dis. of Uterus, &c. ..	1	2	..	3	2
Typhus (1)	7	10	3	20	46	<i>Childbed, Diseases of</i>	1	9	..	10	9
Erysipelas	3	1	..	4	7	<i>the Uterus, &c.</i>
Syphilis	1	Rheumatism	1	1	3
Hydrophobia1	Dis. of Joints, &c.	3
<i>Epidemic, Endemic, & Contagious Diseases</i>	115	15	9	139	204	<i>Diseases of the Joints, Bones and Muscles</i>	1	1	6
Cephalitis	9	7	..	16	11	Ulcer4
Hydrocephalus	46	3	..	49	34	Fistula4
Apoplexy	9	9	18	18	Dis. of Skin, &c.3
Paralysis	1	5	5	11	15	<i>Diseases of the Skin, &c.</i>	1
Convulsions	54	54	60	Inflammation	2	1	1	4	12
Epilepsy	4	1	5	4	Hæmorrhage	1	2	..	3	3
Insanity	1	Dropsy	2	21	18	41	34
Delirium Tremens	1	Abscess	1	2	..	3	4
Dis. of Brain, &c. (2)	6	2	..	8	7	Mortification	2	1	..	3	5
<i>Diseases of the Brain, Nerves, and Senses.</i>	116	30	15	161	151	Scrofula	4	2	..	6	2
Quinsey	1	Carcinoma	5	1	6	7
Bronchitis	3	6	4	13	9	Tumor	1	1	2	2
Pleurisy	2	Gout	1	..	1	1
Pneumonia	43	13	2	58	72	Atrophy	5	5	4
Hydrothorax	1	2	1	4	5	Debility	14	..	4	18	15
Asthma	13	12	25	24	Malformations	1
Consumption	40	130	4	174	141	Sudden Deaths	2	6	6	14	13
Dis. of Lungs, &c. (3)	3	10	7	20	12	<i>Diseases of Uncertain Seat</i>	33	42	31	106	103
<i>Diseases of the Lungs, and other Organs of Respiration</i>	90	174	30	294	266	<i>Old Age, or Natural Decay</i>	..	5	64	69	71
Pericarditis6	Intemperance	1	..	1	.6
Aneurism6	Privation	1	1	..	2	.4
Dis. of Heart, &c.	14	8	22	17	Violent Deaths	8	12	3	23	24
<i>Diseases of the Heart and Bloodvessels.</i>	..	14	8	22	18	<i>Deaths by Violence, Privation, or Intemperance</i>	9	14	3	26	25
Teething	15	15	17	<i>Causes not specified</i>	1	1	..	2	8
Gastritis—Enteritis ..	9	9	6	24	18	<i>Deaths from all Causes</i>	401	329	176	906	..
Peritonitis	1	1	2	Weekly Average, 1838-9-40.	438	314	171	..	926
Tabes Mesenterica ..	6	6	4						
Ascites	1						

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- | | |
|-------------------------|--------------------------------|
| (1) Remittent Fever, 1. | (2) Chorea, 1. |
| (3) Laryngitis, 1. | (4) Stricture of œsophagus, 1. |
| | Worms, 1. |

Liver, and other Organs of Digestion ..					Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
West Districts.	{	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	}		121	120
North Districts.	{	St. Mary-le-bone; St. Pancras; Islington; Hackney	}		162	163
Central Districts.	{	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	}		197	190
East Districts.	{	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	}		203	211
South Districts.	{	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	}		213	223
TOTAL. Males, 437. Females, 469. (Weekly average 1838-9-40, Males, 475. Females, 451.)					906	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of Lond on *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

⁵ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*.

General Register Office, April 29th, 1841.

A TABLE OF MORTALITY

FOR THE
Metropolis,*SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 1st May, 1841.

Temperature. °	Weeks ending	
	Apr. 24th	M 1st
Highest....	59°	72°
Lowest....	40°	44°
Daily Mean	48°	59°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	3	..	24	36	Nephritis	1	1	.4
Measles	11	11	24	Diabetes3
Scarlatina	9	9	38	Stone5
Hooping Cough	40	40	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c. (6)	1	6	4	11	2.4
Thrush	5	5	5	Diseases of the Kid- neys, &c.	2	6	4	12	4
Diarrhoea	4	1	3	8	8	Childbed	5	..	5	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	1	..	2	3	1	Childbed, Diseases of the Uterus, &c.	7	1	8	9
Typhus (1)	7	13	4	24	46	Rheumatism	3
Erysipelas	1	..	4	5	7	Dis. of Joints, &c.	1	3	..	4	3
Syphilis	1	Diseases of the Joints, Bones and Muscles	1	3	..	4	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases	108	17	14	139	204	Fistula4
Cephalitis	8	2	..	10	11	Dis. of Skin, &c.3
Hydrocephalus	48	1	..	49	34	Diseases of the Skin, &c.	1
Apoplexy	2	7	10	19	18	Inflammation	1	6	1	8	12
Paralysis	6	5	11	15	Hæmorrhage	5	..	5	3
Convulsions (2)	70	4	..	74	60	Dropsy	5	21	18	44	34
Epilepsy	1	2	1	4	4	Abscess	1	1	..	2	4
Insanity	1	1	1	Mortification	2	2	5
Delirium Tremens	1	..	1	1	Scrofula	1	2	..	3	2
Dis. of Brain, &c. ..	4	5	2	11	7	Carcinoma	1	6	3	10	7
Diseases of the Brain, Nerves, and Senses.	134	28	18	180	151	Tumor	2
Quinsey (3)	2	..	2	1	Gout	2	..	2	1
Bronchitis	1	14	4	19	9	Atrophy	3	2	..	5	4
Pleurisy	1	1	2	Debility	18	6	..	24	15
Pneumonia	40	15	6	61	72	Malformations	1
Hydrothorax	1	1	2	4	5	Sudden Deaths	5	4	1	10	13
Asthma	11	13	24	24	Diseases of Uncer- tain Seat	35	55	25	115	103
Consumption	28	113	7	153	141	Old Age, or Natural Decay	59	59	71
Dis. of Lungs, &c. ..	2	8	5	15	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration	72	160	38	279	266	Privation4
Pericarditis	1	1	.6	Violent Deaths	5	8	2	15	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance	5	8	2	15	25
Dis. of Heart, &c. ..	1	12	7	20	17	Causes not specified ..	2	2	1	5	8
Diseases of the Heart and Bloodvessels.	2	12	7	21	18	Deaths from all Causes	391	336	180	907	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	11	2	19	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Ague, 1.	(2) Tetanus, 2.				
Fæces Mesenterica ..	3	3	4	(3) Laryngitis, 2.	(4) Intussusception, 1.				
Ascites	1	1	1	(5) Stricture of œsophagus, 3.	(6) Ischuria, 3. Cystitis, 1.				
Ulceration	1						
Hernia	1	1	2	2						
Colic or Ileus (4) ..	1	1	1	3	1						
Dis. of Stomach, &c. (5)	3	2	1	6	4						
Hepatitis	1	1	2	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. ..	1	10	4	15	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	30	29	11	70	60						

West Districts.	North Districts.	Central Districts.	East Districts.	South Districts.	TOTAL.	Males, 478.	Females, 429.	(Weekly average 1838-9-40, Males, 475. Females, 451.)	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	St. Mary-le-bone; St. Pancras; Islington; Hackney	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	907	478	429	(Weekly average 1838-9-40, Males, 475. Females, 451.)	141	139
									171	163
									194	190
									178	211
									223	223
									907	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, May 6th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th May, 1841.

Temperature.	Weeks ending	
§	May 1st	May 8th
Highest ..	72°	65°
Lowest....	44°	50°
Daily Mean	59°	58°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	15	2	..	17	36	Nephritis	1	1	.4
Measles	13	13	24	Diabetes3
Scarlatina	7	1	..	8	38	Stone	1	..	1	.5
Whooping Cough	44	44	28	Stricture	1	1	.4
Croup	4	4	7	Dis. of Kidneys, &c.	1	1	2	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c.}	1	2	2	5	4
Diarrhoea	3	3	8	Childbed	6	..	6	7
Dysentery	1	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	1	3	..	4	1	Childbed, Diseases of } the Uterus, &c.}	..	9	..	9	9
Typhus	2	6	1	9	46	Rheumatism	2	2	3
Erysipelas	1	2	1	4	7	Dis. of Joints, &c.	3	..	3	3
Syphilis	1	Diseases of the Joints, } Bones and Muscles}	2	3	..	5	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & } Contagious Diseases }	93	14	3	110	204	Fistula4
Cephalitis	7	3	..	10	11	Dis. of Skin, &c.3
Hydrocephalus	31	31	34	Diseases of the Skin, } &c.}	1
Apoplexy	9	6	15	18	Inflammation	2	4	1	7	12
Paralysis	5	12	17	15	Hæmorrhage	3	1	4	3
Convulsions	52	52	60	Dropsy	2	15	14	31	34
Epilepsy	5	..	5	4	Abscess	4
Insanity	1	..	1	2	1	Mortification	2	..	4	6	5
Delirium Tremens	2	..	2	1	Scrofula	2	..	1	3	2
Dis. of Brain, &c. ..	3	8	3	14	7	Carcinoma	1	6	2	9	7
Diseases of the Brain, } Nerves, and Senses. }	94	32	22	148	151	Tumor	1	..	1	2	2
Quinsey	1	..	1	1	Gout	1	1	2	1
Bronchitis	5	3	8	9	Atrophy	1	1	..	2	4
Pleurisy	1	1	2	Debility	17	2	..	19	15
Pneumonia	53	10	5	68	72	Malformations	1
Hydrothorax	1	1	1	3	5	Sudden Deaths	5	5	4	15	13
Asthma	8	10	18	24	Diseases of Uncer- tain Seat	33	37	29	100	103
Consumption	26	119	10	155	141	Old Age, or Natural } Decay	63	63	71
Dis. of Lungs, &c. ..	7	5	3	15	12	Intemperance	3	..	3	.6
Diseases of the Lungs, and } other Organs of Respiration }	87	149	33	269	266	Privation4
Pericarditis6	Violent Deaths	5	13	2	20	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	5	16	2	23	25
Dis. of Heart, &c. (1)	1	9	5	15	17	Causes not specified ..	1	1	8
Diseases of the Heart } and Bloodvessels. }	1	9	5	15	18	Deaths from all Causes	345	278	166	790	..
Teething	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	2	3	11	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	2	(1) Angina Pectoris, 1.	(2) Intussusception, 1.				
Tabes Mesenterica ..	5	5	4	(3) Stricture of œsophagus, 1. Hæma- temesis, 1.					
Ascites	1						
Ulceration	1						
Hernia	1	..	1	2						
Colic or Ileus (2)	1	1	1						
Dis. of Stomach, &c. (3)	2	1	2	5	4						
Hepatitis	1						
Jaundice	2						
Dis. of Liver, &c. ..	2	2	2	6	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion .. }	28	7	7	42	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					125		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					143		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					168		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					167		211			
TOTAL. Males, 410. Females, 380.						(Weekly average 1838-9-40, Males, 475. Females, 451.)		790		926	

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Person who died a "Sudden Death," was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, May 13th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th May, 1841.

Temperature. §	Weeks ending	
	May 8th	May 15th.
Highest ...	72°	72°
Lowest....	45°	46°
Daily Mean	58°	58°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	20	20	36	Nephritis4
Measles	13	13	24	Diabetes3
Scarlatina	6	6	38	Stone5
Whooping Cough	45	45	28	Stricture4
Croup	6	6	7	Dis. of Kidneys, &c.	1	1	2	2.4
Thrush	1	1	5	Diseases of the Kid- neys, &c.}	..	1	1	2	4
Diarrhoea	4	4	8	Childbed	3	..	3	7
Dysentery	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. (4)	..	1	2	3	2
Influenza	2	..	2	4	1	Childbed, Diseases of the Uterus, &c. ..}	..	4	2	6	9
Typhus	9	9	1	19	46	Rheumatism	3
Erysipelas	3	4	1	8	7	Dis. of Joints, &c. (5).	2	1	1	4	3
Erythema	1	Diseases of the Joints, Bones and Muscles}	2	1	1	4	6
Hydrophobia	1	1	.1	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases}	110	14	4	128	204	Fistula4
Cephalitis	10	3	..	13	11	Dis. of Skin, &c.}3
Hydrocephalus	27	27	34	Diseases of the Skin, &c.}	..	1	..	1	1
Apoplexy	5	4	9	18	Inflammation	2	2	12
Paralysis	7	11	18	15	Hæmorrhage	3	..	3	3
Convulsions	51	1	..	52	60	Dropsy	7	12	8	27	34
Epilepsy	5	..	5	4	Abscess	3	5	..	8	4
Insanity	1	..	1	1	Mortification	1	1	3	5	5
Delirium Tremens	1	1	1	Scrofula (6)	1	..	2	3	2
Dis. of Brain, &c. (1)	6	7	2	15	7	Carcinoma	3	3	6	7
Diseases of the Brain, Nerves, and Senses.}	94	29	18	141	151	Tumor	1	1	2	2
Quinsey	1	Gout	1	..	1	1
Tracheitis	2	3	4	9	9	Atrophy	2	..	2	4	4
Cholera	1	1	..	2	2	Debility	16	..	2	18	15
Pneumonia	43	6	3	52	72	Malformations	1
Hydrothorax	3	1	4	5	Sudden Deaths	2	4	2	8	13
Asthma	3	10	13	24	Diseases of Uncer- tain Seat	34	30	23	87	103
Consumption	30	100	4	134	141	Old Age, or Natural Decay	64	64	71
Dis. of Lungs, &c. (2)	4	11	7	22	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	80	127	29	236	266	Privation4
Pericarditis6	Violent Deaths	14	1	15	21
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	..	14	1	15	25
Dis. of Heart, &c. ..	1	13	6	20	17	Causes not specified	8
Diseases of the Heart and Bloodvessels.}	1	13	6	20	18	Deaths from all Causes	356	250	155	761	..
Teething	22	22	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	8	5	1	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Tetanus, 1.	(4) Paramenia, 1.				
Abdomen Mesenterica ..	4	4	4	(2) Laryngitis, 1.	(5) Arthritis, 1.				
Ascites	1	..	1	1	(3) Hematemesis, 1.	(6) Purpura, 2.				
Ulceration	1	..	1	1						
Hernia	2	2	2						
Colic or Ileus	1						
Dis. of Stomach, &c. (3)	1	2	1	4	4						
Hepatitis	1	1	1						
Jaundice	1	..	1	2						
Dis. of Liver, &c.	4	1	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	35	16	6	57	60						
West districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney					107		139			
Central districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					142		163			
East districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					157		190			
South districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					157		211			
						198		223			
TOTAL. Males, 398. Females, 363.	(Weekly average 1838-9-40, Males, 475. Females, 451.)					761		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, May 20th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd May, 1841.

Temperature. °	Weeks ending	
	May 15th	May 22nd
Highest ...	72°	76°
Lowest	46°	48°
Daily Mean	58°	59°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	23	4	..	27	36	Nephritis4
Measles	13	13	24	Diabetes3
Scarlatina	5	1	..	6	38	Stone5
Whooping Cough	43	43	28	Stricture4
Croup	7	7	7	Dis. of Kidneys, &c. (4)	1	1	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c.}	1	1	4
Diarrhoea	2	2	4	8	Childbed	9	..	9	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	3	1	..	4	1	Childbed, Diseases of the Uterus, &c. ...}	..	11	1	12	9
Typhus (1)	8	8	4	20	46	Rheumatism	1	..	1	3
Erysipelas	2	2	..	4	7	Dis. of Joints, &c. ...	1	2	..	3	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	3	..	4	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases	107	18	6	131	204	Fistula	1	..	1	.4
Cephalitis	17	1	..	18	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	32	32	34	Diseases of the Skin, &c.}	1	1	..	2	1
Apoplexy	7	4	11	18	Inflammation	1	2	..	3	12
Paralysis	5	9	14	15	Hæmorrhage	1	3	2	6	3
Convulsions	45	45	60	Dropsy	1	17	7	25	34
Epilepsy	1	..	1	4	Abscess	1	1	..	2	4
Insanity	1	Mortification	1	1	2	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2
Dis. of Brain, &c. ...	3	..	1	4	7	Carcinoma	1	4	1	6	7
Diseases of the Brain, Nerves, and Senses.	97	16	14	127	151	Tumor	2
Quinsey	1	1	..	2	1	Gout	1
Bronchitis	3	4	2	9	9	Atrophy	5	1	2	8	4
Pleurisy	1	..	1	2	Debility	11	3	4	18	15
Pneumonia	35	3	5	43	72	Malformations	1
Hydrothorax	2	4	6	5	Sudden Deaths	2	3	1	6	13
Asthma	5	10	15	24	Diseases of Uncer- tain Seat	24	35	18	77	103
Consumption	38	100	9	147	141	Old Age, or Natural Decay	1	50	51	71
Dis. of Lungs, &c. (2)	6	5	3	14	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration	83	121	33	237	266	Privation4
Pericarditis6	Violent Deaths	5	8	1	15†	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance	5	8	1	15	25
Dis. of Heart, &c. ...	3	3	4	10	17	Causes not specified	2	1	5†	8
Diseases of the Heart and Bloodvessels.	3	4	4	11	18	Deaths from all Causes	359	237	135	734	..
Feething	16	16	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis..	12	4	3	19	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	3	..	3	2	(1) Ague, 2.	(3) Worms, 1. Hematemesis, 1.				
Cæcus Mesenterica ..	4	4	4	(2) Laryngitis, 1.	(4) Cystitis, 1.				
Ascites	1						
Ulceration	2	..	2	1						
Hernia	2	2	4	2						
Colic or Ileus	3	3	1						
Dis. of Stomach, &c. (3)	1	1	..	2	4						
Hepatitis	1	1	1						
Jaundice	2						
Dis. of Liver, &c. ...	1	5	1	7	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	38	17	6	61	60						

West Districts	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	97	139
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	150	163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	166	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	151	211
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	170	223
TOTAL. Males, 343. Females, 391. (Weekly average 1838-9-40, Males, 475. Females, 451.)		734	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Three Persons were not stated: one died a Violent Death, and in two cases the cause of Death was not Specified.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, May 27th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th May, 1841.

Temperature.	Weeks ending	
	May 22nd	May 29th
Highest....	76°	79°
Lowest....	48°	54°
Daily Mean	59°	65°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	11	2	..	13	36	Nephritis	1	1	.4
Measles	11	11	24	Diabetes	2	..	2	.3
Scarlatina	7	1	..	8	38	Stone	1	1	.5
Hooping Cough	45	45	28	Stricture4
Croup	5	5	7	Dis. of Kidneys, &c.	1	2	3	2.4
Thrush	4	4	5	Diseases of the Kid- neys, &c.}	..	3	4	..	4
Diarrhœa	4	2	1	7	8	Childbed	9	..	9	7
Dysentery	1	1	2	Ovarian Dropsy	1	1	.2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	1	2	3	1	Childbed, Diseases of the Uterus, &c. ...}	..	11	1	12	9
Typhus (1)	6	15	4	26†	46	Rheumatism	3	..	3	3
Erysipelas	3	..	3	7	Dis. of Joints, &c.	1	1	2	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	..	4	1	5	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases }	93	25	8	127	204	Fistula4
Cephalitis	28	4	..	32	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	40	4	..	44	34	Diseases of the Skin, &c.}	2	2	1
Apoplexy	6	10	16	18	Inflammation	4	..	1	5	12
Paralysis	1	7	7	15	15	Hæmorrhage	2	..	2	3
Convulsions	45	45	60	Dropsy	2	16	11	29	34
Epilepsy	3	1	4	4	Abscess	2	..	2	4
Insanity	1	Mortification	1	..	2	3	5
Delirium Tremens	2	..	2	1	Scrofula (5)	3	3	..	6	2
Dis. of Brain, &c. (2)	6	6	2	14	7	Carcinoma	4	2	6	7
Diseases of the Brain, Nerves, and Senses. }	120	32	20	172	151	Tumor	1	..	1	2
Quinsey	1	1	1	Gout	1
Bronchitis	2	6	4	12	9	Atrophy	6	6	4
Pleurisy	1	2	..	3	2	Debility	12	4	3	19	15
Pneumonia	46	10	2	58	72	Malformations	1	1	1
Hydrothorax	1	4	5	5	Sudden Deaths	3	8	2	13	13
Asthma	4	6	10	24	Diseases of Uncer- tain Seat	32	40	21	93	103
Consumption	27	119	5	151	141	Old Age, or Natural Decay	5	53	58	71
Dis. of Lungs, &c. (3)	4	5	2	11	12	Intemperance	2	..	2	.6
Diseases of the Lungs, and other Organs of Respiration }	81	147	23	251	266	Privation4
Pericarditis6	Violent Deaths	8	9	..	19†	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	8	11	..	21	25
Dis. of Heart, &c. ...	2	7	2	11	17	Causes not specified ..	3	4	..	7	8
Diseases of the Heart and Bloodvessels. }	2	7	2	11	18	Deaths from all Causes	380	312	138	833	..
Teething	16	16	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	10	4	1	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	2	(1) Ague, 1. Remittent Fever, 1. (4) Stricture of œsophagus, 1.					
Tabes Mesenterica ..	7	7	4	(2) Cholera, 1. (5) Purpura, 1.					
Ascites	1	(3) Laryngitis, 1.					
Ulceration	1	1	1						
Hernia	1	2	3	2						
Colic or Ileus	1	2	..	3	1						
Dis. of Stomach, &c. (4)	2	1	..	3	4						
Hepatitis	1	..	1	1						
Jaundice	2	..	2	2						
Dis. of Liver, &c. ...	2	11	2	15	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	39	23	5	67	60						

West Districts.	North Districts.	Central Districts.	East Districts.	South Districts.	TOTAL.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	St. Mary-le-bone; St. Pancras; Islington; Hackney	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	(Weekly average 1838-9-40, Males, 475. Females, 451.)	131	139
						166	163
						179	190
						150	211
						207	223
						833	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Three Persons were not stated: one died from "Typhus," and two by "Violence."

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, June 3rd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 5th June, 1841.

Temperature.	Weeks ending	
	May 29th	June 5th
Highest....	79°	82°
Lowest....	54°	52°
Daily Mean	65°	66°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	1	..	22	36	Nephritis4
Measles	8	8	24	Diabetes3
Scarlatina	13	1	..	14	38	Stone5
Hooping Cough	35	35	28	Stricture	1	1	.4
Croup	6	6	7	Dis. of Kidneys, &c. (4)	1	3	4	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	1	4	5	4
Diarrhoea	2	..	1	3	8	Childbed	7	..	7	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	1	1	Dis. of Uterus, &c. (5)	7	..	7	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	14	..	14	9
Typhus	6	8	6	20	46	Rheumatism	1	..	1	3
Erysipelas	1	2	1	4	7	Dis. of Joints, &c.	1	1	..	2	3
Syphilis	2	..	2	1	Diseases of the Joints, Bones and Muscles}	1	2	..	3	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	94	14	9	117	204	Fistula4
Cephalitis	7	1	..	8	11	Dis. of Skin, &c.}3
Hydrocephalus	42	42	34	Diseases of the Skin, &c.}	1
Apoplexy	2	3	8	13	18	Inflammation	1	1	12
Paralysis	6	4	10	15	Hæmorrhage	2	1	3	3
Convulsions	50	1	..	51	60	Dropsy	2	14	10	26	34
Epilepsy	2	1	3	4	Abscess	1	3	..	4	4
Insanity	1	..	1	1	Mortification	1	1	2	5
Delirium Tremens	1	1	2	1	Scrofula (6)	1	1	..	2	2
Dis. of Brain, &c. (1) ..	6	6	1	13	7	Carcinoma	4	2	6	7
Diseases of the Brain, Nerves, and Senses.}	107	21	15	143	151	Tumor	1	2	3	2
Quinsey	2	2	1	Gout	1
Bronchitis	1	2	2	5	9	Atrophy	4	..	2	6	4
Pleurisy	2	2	4	2	Debility	10	4	6	20	15
Pneumonia	41	8	3	52	72	Malformations	2	2	1
Hydrothorax	2	2	4	5	Sudden Deaths	3	9	6	18	13
Asthma	2	7	9	24	Diseases of Uncer- tain Seat	24	39	30	93	103
Consumption	36	111	6	153	141	Old Age, or Natural Decay	4	41	45	71
Dis. of Lungs, &c. (2) ..	4	9	1	14	12	Intemperance	3	..	3	.6
Diseases of the Lungs, and other Organs of Respiration}	84	136	23	243	266	Privation4
Pericarditis	1	..	1	.6	Violent Deaths	9	15	4	28	24
Aneurism	3	..	3	.6	Deaths by Violence, Pri- vation, or Intemperance}	9	18	4	31	25
Dis. of Heart, &c.	1	11	4	16	17	Causes not specified	1	..	1	8
Diseases of the Heart } and Bloodvessels. }	1	15	4	20	18	Deaths from all Causes	342	281	140	763	..
Teething	8	8	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	4	1	11	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Tetanus, 1. (4) Cystitis, 1. (2) Laryngitis, 1. (5) Paramenia, 1. (3) Intussusception, 1. (6) Purpura, 2.					
Peritonitis	2	1	3	2						
Tabes Mesenterica ..	4	..	1	5	4						
Ascites	1						
Ulceration	1	Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
Hernia	1	1	2						
Colic or Ileus (3)	2	..	1	3	1	124		139			
Dis. of Stomach, &c.	1	1	2	4	4	158		163			
Hepatitis	1	149		190			
Jaundice	2	2	4	2	148		211			
Dis. of Liver, &c.	1	7	1	9	7	184		223			
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	22	16	10	48	60	763		926			

		Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	124	139
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	158	163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	149	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	148	211
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	184	223
TOTAL. Males, 410. Females, 353. (Weekly average 1838-9-40. Males, 475. Females, 451.)		763	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, June 10th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, 19th 1893

Registered in the WEEK ending Saturday, the 12th June, 1841.

Temperature. °	Weeks ending	
	June 5th	June 12th
Highest....	82°	69°
Lowest....	52°	45°
Daily Mean	66°	54°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	23	1	..	24	36	Nephritis4
Measles	17	1	..	18	24	Diabetes3
Scarlatina	3	1	..	4	38	Stone	1	1	.5
Whooping Cough	28	28	28	Stricture4
Croup	14	1	..	15	7	Dis. of Kidneys, &c.	1	2	3	2.4
Thrush	8	8	5	<i>Diseases of the Kid-</i>	1	1	2	4	4
Diarrhoea	5	1	1	7	8	<i>neys, &c.</i>					
Dysentery	1	..	1	2	Childbed	4	..	4	7
Cholera	1	Ovarian Dropsy2
Influenza	1	..	1	2	1	Dis. of Uterus, &c.	4	..	4	2
Typhus	4	23	2	29	46	<i>Childbed, Diseases of</i>	..	8	..	8	9
Erysipelas	3	2	5	7	<i>the Uterus, &c.</i>					
Syphilis	1	1	1	Rheumatism	3	..	3	3
Hydrophobia1	Dis. of Joints, &c.	1	..	1	3
<i>Epidemic, Endemic, & Contagious Diseases</i>	104	32	6	142	204	<i>Diseases of the Joints, Bones and Muscles</i>	..	4	..	4	6
Cephalitis	9	2	..	11	11	Ulcer4
Hydrocephalus	35	2	1	38	34	Fistula4
Apoplexy	6	5	11	18	Dis. of Skin, &c. (2) ..	1	1	..	2	.3
Paralysis	3	3	6	15	<i>Diseases of the Skin, &c.</i>	1	1	..	2	1
Convulsions (1)	44	1	..	45	60	Inflammation	2	1	1	4	12
Epilepsy	2	2	..	4	4	Hæmorrhage	2	3	5	3
Insanity	1	Dropsy	4	13	7	24	34
Delirium Tremens	1	1	1	Abscess	1	1	4
Dis. of Brain, &c. ..	3	1	1	5	7	Mortification	1	2	..	3	5
<i>Diseases of the Brain, Nerves, and Senses.</i>	93	17	11	121	151	Scrofula	2	1	..	3	2
Quinsey	2	2	1	Carcinoma	4	1	5	7
Bronchitis	3	1	4	9	Tumor	1	1	2	4	2
Pleurisy	1	..	1	2	Gout	1	1	2	1
Pneumonia	45	17	3	65	72	Atrophy	6	6	4
Hydrothorax	1	1	5	Debility	12	6	..	18	15
Asthma	1	6	7	14	24	Malformations	2	2	1
Consumption	37	139	7	183	141	Sudden Deaths	3	8	2	13	13
Dis. of Lungs, &c. ..	4	6	3	13	12	<i>Diseases of Uncertain Seat</i>	34	39	17	90	103
<i>Diseases of the Lungs, and other Organs of Respiration</i>	89	172	22	283	266	<i>Old Age, or Natural Decay</i>	47	47	71
Pericarditis	2	..	2	.6	Intemperance6
Aneurism6	Privation	1	..	1	.4
Dis. of Heart, &c. ..	2	6	3	11	17	Violent Deaths	12	25	1	38	24
<i>Diseases of the Heart and Bloodvessels.</i>	2	8	3	13	18	<i>Deaths by Violence, Privation, or Intemperance</i>	12	26	1	39	25
Teething	17	17	17	<i>Causes not specified</i> ..	1	2	1	4	8
Gastritis—Enteritis ..	9	10	2	21	18	<i>Deaths from all Causes</i>	373	334	119	826†	..
Peritonitis	1	..	1	2	Weekly Average, 1838-9-40.	438	314	171	..	926
Tabes Mesenterica ..	4	..	1	5	4	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Ascites	1	(1) Tetanus, 1.					
Ulceration	1	1	1	(2) Phlegmon, 1.					
Hernia	1	1	2	2						
Colic or Ileus	1	2	1	4	1						
Dis. of Stomach, &c. ..	1	1	..	2	4						
Hepatitis	1	..	1	1						
Jaundice	1	2	1	4	2						
Dis. of Liver, &c. ..	2	6	3	11	7						
<i>Diseases of the Stomach, Liver, and other Organs of Digestion</i>	36	24	9	69	60						

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Tetanus, l.
(2) Phlegmon, l.

Deaths in the Week.		Average Weekly Deaths, 1838-9-40.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	124 139
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	146 163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	169 190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	172 211
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	215 223
TOTAL. Males, 452. Females, 374. (Weekly average 1838-9-40, Males, 175. Females, 451.)		826 926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Brinsley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Three Persons were not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*.

General Register Office, June 15th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th June, 1841.

Temperature. §	Weeks ending	
	June 12th	June 19th
Highest ...	69°	80°
Lowest	45°	47°
Daily Mean	54°	61°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	11	1	..	12	36	Nephritis4
Measles	12	12	24	Diabetes3
Scarlatina	16	16	38	Stone5
Whooping Cough	28	28	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c. (7)	2	2	2.4
Thrush	5	5	5	Diseases of the Kid- neys, &c.}	2	2	4
Diarrhoea	3	..	3	6	8	Childbed	3	..	3	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	2	4	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c. ..}	..	5	2	7	9
Typhus (1)	9	7	3	19	46	Rheumatism	1	1	..	2	3
Erysipelas	1	1	7	Dis. of Joints, &c. ...	1	1	2
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles}	2	1	..	3	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	95	9	8	112	204	Fistula4
Cephalitis	11	1	2	14	11	Dis. of Skin, &c. (8)	1	..	1	.3
Hydrocephalus	28	28	34	Diseases of the Skin, &c.}	..	1	..	1	1
Apoplexy	11	13	24	18	Inflammation	4	1	..	5	12
Paralysis	4	8	12	15	Hæmorrhage	1	2	2	5	3
Convulsions (2)	48	4	..	52	60	Dropsy	3	9	13	25	34
Epilepsy	1	1	4	Abscess	1	1	4
Insanity	1	..	1	1	Mortification	6	2	8	5
Delirium Tremens	1	..	1	1	Scrofula	2	2	2
Dis. of Brain, &c. ..	4	2	..	6	7	Carcinoma	1	7	5	13	7
Diseases of the Brain, Nerves, and Senses.}	92	24	23	139	151	Tumor	1	1	2
Quinsey (3)	2	1	..	3	1	Gout	1
Bronchitis	2	2	4	8	9	Atrophy	1	1	4
Pleurisy	2	Debility	14	3	..	17	15
Pneumonia	42	6	2	50	72	Malformations	1
Hydrothorax	1	1	5	Sudden Deaths	2	6	3	11	13
Asthma	9	6	15	24	Diseases of Uncer- tain Seat	28	34	27	89	103
Consumption	32	122	6	160	141	Old Age, or Natural Decay	39	39	71
Dis. of Lungs, &c. ..	5	8	2	15	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	83	148	21	252	266	Privation4
Pericarditis6	Violent Deaths	3	15	2	20	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	3	16	2	21	25
Dis. of Heart, &c. ..	2	14	4	20	17	Causes not specified ..	3	1	..	4	8
Diseases of the Heart and Bloodvessels. }	2	15	4	21	18	Deaths from all Causes	335	277	138	750	..
Teething	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	4	3	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	2	(1) Ague, 2.	(5) Intussusception, 1.				
Tabes Mesenterica (4)	2	2	4	(2) Chorea, 1.	(6) Stricture of œsophagus, 1.				
Ascites	1	(3) Laryngitis, 1.	(7) Ischuria, 1.				
Ulceration	2	..	2	1	(4) Worms, 1.	(8) Phlegmon, 1.				
Hernia	1	..	1	2						
Colic or Ileus (5)	1	..	1	2	1						
Dis. of Stomach, &c. (6)	2	3	2	7	4						
Hepatitis	2	1	3	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. ..	1	9	2	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	27	23	10	60	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					108		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					144		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					158		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					163		211			
TOTAL. Males, 370. Females, 380.					(Weekly average 1838-9-40, Males, 475. Females, 451.)	177		223			
						750		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, June 22nd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th June, 1841.

Temperature. °	Weeks ending	
	June 19th	June 20th
Highest....	80°	87°
Lowest....	47°	51°
Daily Mean	61°	64°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.					
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards							
Small Pox	11	2	..	13	36	Nephritis	1	..	1	.4					
Measles	24	24	24	Diabetes	1	..	1	.3					
Scarlatina	13	1	..	14	38	Stone5					
Whooping Cough	30	30	28	Stricture4					
Croup	3	3	7	Dis. of Kidneys, &c.	1	2	3	2.4					
Thrush	9	9	5	Diseases of the Kid- neys, &c.}	..	3	2	5	4					
Diarrhoea	2	..	1	3	8	Childbed	6	..	6	7					
Dysentery	2	Ovarian Dropsy2					
Cholera	1	Dis. of Uterus, &c.	1	..	1	2					
Influenza	2	1	2	5	1	Childbed, Diseases of the Uterus, &c. ...}	..	7	..	7	9					
Typhus	7	4	3	14	46	Rheumatism	1	..	1	3					
Erysipelas	2	..	2	7	Dis. of Joints, &c.	1	..	1	3					
Syphilis	1	Diseases of the Joints, Bones and Muscles}	..	2	..	2	6					
Hydrophobia1	Ulcer4					
Epidemic, Endemic, & Contagious Diseases}	101	10	6	117	204	Fistula4					
Cephalitis	10	4	..	15†	11	Dis. of Skin, &c.}3					
Hydrocephalus	35	1	..	37†	34	Diseases of the Skin, &c.}	1					
Apoplexy	9	12	21	18	Inflammation	2	1	..	3	12					
Paralysis	5	5	10	15	Hæmorrhage	2	..	1	3	3					
Convulsions (1)	38	1	..	39	60	Dropsy	3	14	11	28	34					
Epilepsy	2	3	..	5	4	Abscess	4					
Insanity	1	..	1	1	Mortification	1	4	2	7	5					
Delirium Tremens	4	..	4	1	Scrofula	3	2	..	5	2					
Dis. of Brain, &c. ...	7	4	..	11	7	Carcinoma	4	..	4	7					
Diseases of the Brain, Nerves, and Senses.}	92	32	17	143†	151	Tumor	2	..	2	2					
Quinsey	3	1	..	4	1	Gout	1					
Bronchitis	2	3	4	9	9	Atrophy	4	4	4					
Pleurisy	1	1	2	Debility	8	3	..	11	15					
Pneumonia	43	9	4	56	72	Malformations	1	1	1					
Hydrothorax	1	1	2	5	Sudden Deaths	3	3	1	7	13					
Asthma	8	4	12	24	Diseases of Uncer- tain Seat	27	33	15	75	103					
Consumption	48	110	9	167	141	Old Age, or Natural Decay	46	46	71					
Dis. of Lungs, &c. ...	4	5	3	12	12	Intemperance	1	..	1	.6					
Diseases of the Lungs, and other Organs of Respiration}	100	137	26	263	266	Privation4					
Pericarditis6	Violent Deaths	4	12	6	22	24					
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	4	13	6	23	25					
Dis. of Heart, &c. ...	4	11	2	17	17	Causes not specified	2	..	2	8					
Diseases of the Heart and Bloodvessels.}	4	12	2	18	18	Deaths from all Causes	364	262	127	755†	..					
Teething	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926					
Gastritis—Enteritis ..	9	3	..	12	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—										
Peritonitis	1	1	2	(1) Tetanus, 1. from exposure to Cold.										
Tabes Mesenterica ..	4	4	4	(2) Stricture of œsophagus, 1. Hematemesis, 1.										
Ascites	1											
Ulceration	1	1	1											
Hernia	2											
Colic or Ileus	1	..	1	2	1											
Dis. of Stomach, &c. (2)	5	..	3	8	4											
Hepatitis	1	..	1	1											
Jaundice	2	1	3	2											
Dis. of Liver, &c.	5	..	5	7											
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	36	11	7	54	60											
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.								
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					107		139								
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					141		163								
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					154		190								
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					163		211								
TOTAL. Males, 380. Females, 375. (Weekly average 1838-9-40, Males, 475. Females, 451.)						190		223								
						755		926								

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Two Persons who died of "Cephalitis," and "Hydrocephalus," were not stated.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, July 1st, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 3rd July, 1841.

Temperature.	Weeks ending	
	June 20th	July 3rd
Highest ...	87°	74°
Lowest	51°	53°
Daily Mean	64°	62°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	1	..	22	36	Nephritis4
Measles	13	13	24	Diabetes3
Scarlatina	12	3	1	16	38	Stone5
Whooping Cough	34	2	..	36	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c.	2.4
Thrush	1	1	5	Diseases of the Kid- neys, &c.	4
Diarrhoea	1	1	2	8	Childbed	3	..	3	7
Dysentery	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	3	..	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c.	6	..	6	9
Typhus	6	8	5	19	46	Rheumatism	1	1	2	3
Erysipelas	1	1	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles	..	3	1	4	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases	97	16	8	121	204	Fistula	1	..	1	.4
Cephalitis	10	3	..	13	11	Dis. of Skin, &c.3
Hydrocephalus	28	1	..	29	34	Diseases of the Skin, &c.	1	1	..	2	1
Apoplexy	7	5	12	18	Inflammation	2	1	..	3	12
Paralysis	5	10	15	15	Hæmorrhage	1	1	..	2	3
Convulsions	47	47	60	Dropsy	3	19	8	30	34
Epilepsy	2	..	2	4	Abscess	1	..	1	2	4
Insanity	1	..	1	1	Mortification	1	1	5
Delirium Tremens	5	..	5	1	Scrofula	1	1	..	2	2
Dis. of Brain, &c. ..	5	2	..	7	7	Carcinoma	7	3	10	7
Diseases of the Brain, Nerves, and Senses.	90	26	15	131	151	Tumor	1	1	2
Quinsey	1	Gout	1	1	2	1
Bronchitis	3	3	2	8	9	Atrophy	6	..	1	7	4
Pleurisy	1	1	2	2	Debility	13	1	5	19	15
Pneumonia	44	10	7	61	72	Malformations	2	2	1
Hydrothorax	1	1	2	4	5	Sudden Deaths	3	8	2	13	13
Asthma	4	3	7	24	Diseases of Uncer- tain Seat	33	39	22	94	103
Consumption	33	98	6	138	141	Old Age, or Natural Decay	49	49	71
Dis. of Lungs, &c. ..	3	7	3	13	12	Intemperance	1	1	.6
Diseases of the Lungs, and other Organs of Respiration	84	124	24	233	266	Privation	1	..	1	.4
Pericarditis	1	1	.6	Violent Deaths	9	15	5	30	24
Aneurism	1	1	2	.6	Deaths by Violence, Pri- vation, or Intemperance	9	16	6	32	25
Dis. of Heart, &c. ..	1	7	6	14	17	Causes not specified	2	2	8
Diseases of the Heart and Bloodvessels.	2	8	7	17	18	Deaths from all Causes	348	255	146	751†	..
Teething	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	12	5	3	20	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis2	(1) Worms, 1. Stricture of œsophagus, 1.					
Tabes Mesenterica ..	4	4	4	Deaths in the Week.					
Ascites	1	..	1	1	Average Weekly Deaths, 1838-9-40.					
Ulceration	1	..	1	1						
Hernia	1	..	1	1						
Colic or Ileus	1	..	1	1						
Dis. of Stomach, &c. (1)	3	3	3	9	4						
Hepatitis	1						
Jaundice	1	..	1	2	2						
Dis. of Liver, &c.	5	5	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	32	16	12	60	60						

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

§ The ages of two persons were not stated; one died of "Consumption," and one by "Violence."

General Register Office, July 8th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHewing THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 10th July, 1841.

Temperature. §	Weeks ending	
	July 3rd	July 10th
Highest....	74°	80°
Lowest....	53°	52°
Daily Mean	62°	65°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	13	2	..	15	36	Nephritis4
Measles	21	21	24	Diabetes3
Scarlatina	18	18	38	Stone5
Whooping Cough	39	39	28	Stricture	1	..	1	.4
Croup	2	2	7	Dis. of Kidneys, &c. (2)	3	2	5	2.4
Thrush	10	10	5	Diseases of the Kid- neys, &c.}	..	4	2	6	4
Diarrhoea	3	2	1	6	8	Childbed	4	..	4	7
Dysentery	1	1	2	4	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.}	..	6	..	6	9
Typhus	14	10	1	25	46	Rheumatism	1	2	..	3	3
Erysipelas	1	1	2	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	4	..	5	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	121	16	6	143	204	Fistula4
Cephalitis	13	4	1	18	11	Dis. of Skin, &c.3
Hydrocephalus	27	27	34	Diseases of the Skin, &c.}	1
Apoplexy	6	8	14	18	Inflammation	1	2	..	3	12
Paralysis	5	9	14	15	Hæmorrhage	3
Convulsions	50	50	60	Dropsy	3	17	6	26	34
Epilepsy	3	..	3	4	Abscess	4	2	1	7	4
Insanity	1	Mortification	3	3	6	5
Delirium Tremens	1	Scrofula	2
Dis. of Brain, &c. ..	3	3	..	6	7	Carcinoma	3	5	8	7
Diseases of the Brain, Nerves, and Senses.}	93	21	18	132	151	Tumor	1	1	..	2	2
Quinsey	1	Gout	1	1	1
Bronchitis	2	3	5	9	Atrophy	3	3	4
Pleurisy	1	1	2	Debility	8	1	7	16	15
Pneumonia	43	10	2	55	72	Malformations	1	1	1
Hydrothorax	2	1	3	5	Sudden Deaths	6	6	4	16	13
Asthma	5	5	10	24	Diseases of Uncer- tain Seat	27	35	27	89	103
Consumption	30	108	9	147	141	Old Age, or Natural Decay	48	48	71
Dis. of Lungs, &c. ..	1	6	3	10	12	Intemperance	1	1	.6
Diseases of the Lungs, and other Organs of Respiration}	75	133	23	231	266	Privation4
Pericarditis6	Violent Deaths	7	6	4	17	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	7	6	5	18	25
Dis. of Heart, &c. ..	3	11	4	18	17	Causes not specified ..	5	2	1	8	8
Diseases of the Heart and Bloodvessels.}	3	12	4	19	18	Deaths from all Causes	367	249	139	755	..
Teething	14	14	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	11	2	3	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Stricture of œsophagus, 1. (2) Cystitis, 1.					
Peritonitis	1	1	2						
Tabes Mesenterica ..	4	4	4						
Ascites	1						
Ulceration	1						
Hernia	2	..	2	2						
Colic or Ileus	1						
Dis. of Stomach, &c. (1)	3	1	..	4	4						
Hepatitis	1						
Jaundice	2						
Dis. of Liver, &c. ..	2	5	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	35	10	5	50	60						

West districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	147	163
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	139	190
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	174	211
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	196	223
TOTAL. Males, 397. Females, 358. (Weekly average 1838-9-40. Males, 475. Females, 451.)		755	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, July 15th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th July, 1841.

Temperature. °	Weeks ending	
	July 10th	July 17th
Highest ...	80°	75°
Lowest	52°	50°
Daily Mean	65°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	13	1	..	14	36	Nephritis	1	..	1	.4
Measles	17	17	24	Diabetes3
Scarlatina	8	8	38	Stone5
Hooping Cough	23	23	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	1	..	1	2.4
Thrush	5	5	5	Diseases of the Kid- neys, &c. }	..	2	..	2	4
Diarrhoea	6	1	2	9	8	Childbed	4	..	4	7
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. }	..	6	..	6	9
Typhus (1)	6	10	3	19	46	Rheumatism	3	..	3	3
Erysipelas	2	2	..	4	7	Dis. of Joints, &c.	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	..	3	..	3	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	90	15	5	110	204	Fistula4
Cephalitis	8	1	..	9	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	35	1	..	36	34	Diseases of the Skin, } &c. }	1	1	1
Apoplexy	12	8	20	18	Inflammation	5	5	12
Paralysis	4	5	9	15	Hæmorrhage	4	..	4	3
Convulsions	77	77	60	Dropsy	1	15	14	30	34
Epilepsy	3	..	3	4	Abscess	4
Insanity	1	Mortification	1	1	..	2	5
Delirium Tremens	1	..	1	1	Scrofula	2	1	1	4	2
Dis. of Brain, &c. ..	8	3	2	13	7	Carcinoma	3	..	3	7
Diseases of the Brain, } Nerves, and Senses. }	128	25	15	168	151	Tumor	2	..	1	4	2
Quinsey	1	1	1	Gout	1	1	2	1
Bronchitis	3	3	4	10	9	Atrophy	4	3	2	9	4
Pleurisy	2	1	3	2	Debility	16	..	2	18	15
Pneumonia	41	5	3	49	72	Malformations	1
Hydrothorax	1	..	1	2	5	Sudden Deaths	5	8	2	15	13
Asthma	1	6	2	9	24	Diseases of Uncer- tain Seat	36	36	23	96	103
Consumption	45	102	3	150	141	Old Age, or Natural Decay	1	41	42	71
Dis. of Lungs, &c. (2)	3	6	1	10	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	95	124	15	234	266	Privation	2	2	.4
Pericarditis6	Violent Deaths	8	13	..	21	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	10	14	..	24	25
Dis. of Heart, &c. ..	3	5	5	13	17	Causes not specified ..	1	10	3	15	8
Diseases of the Heart } and Bloodvessels. }	3	5	5	13	18	Deaths from all Causes	395	250	114	761	..
Ceething	13	13	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	10	4	..	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	(1) Remittent Fever, 1.					
Abes Mesenterica ..	4	4	4	(2) Laryngitis, 1.					
Ascites	1	..	1	1	(3) Intussusception, 1.					
Flaccidation	1	..	1	1	(4) Hematemesis, 1.					
Hernia	2	2	2						
Colic or Ileus (3) ..	1	1	..	2	1						
Dis. of Stomach, &c. (4)	1	..	2	3	4						
Hepatitis	1	..	1	1						
Jaundice	1	1	2						
Dis. of Liver, &c. ..	2	1	2	5	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion }	31	9	7	47	60						

West districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich
TOTAL.	Males, 405. Females, 356. (Weekly average 1838-9-40, Males, 475. Females, 451.)

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,990.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of two persons were not stated. One died of Tumor, and of the other the cause of death was not specified.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, July 22nd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th July, 1841.

Temperature. °	Weeks ending	
	July 17th	July 24th
Highest....	75°	74°
Lowest....	50°	51°
Daily Mean	60°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	14	14	36	Nephritis	1	..	1	.4
Measles	15	15	24	Diabetes3
Scarlatina	20	3	..	23	38	Stone5
Whooping Cough	26	26	28	Stricture4
Croup	3	3	7	Dis. of Kidneys, &c.	1	..	1	2.4
Thrush	5	5	5	Diseases of the Kid- neys, &c.}	..	2	..	2	4
Diarrhoea	13	..	1	14	8	Childbed	6	..	6	7
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c. (2)	..	3	1	4	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ..}	..	10	1	12	9
Typhus	7	9	3	19	46	Rheumatism	2	..	2	3
Erysipelas	1	1	1	3	7	Dis. of Joints, &c.	1	3	..	4	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles}	1	5	..	6	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	104	15	5	124	204	Fistula	2	2	.4
Cephalitis	7	3	..	10	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	39	2	..	41	34	Diseases of the Skin, &c.}	1	..	2	3	1
Apoplexy	6	11	17	18	Inflammation	2	2	12
Paralysis	3	4	7	15	Hæmorrhage	1	..	1	3
Convulsions	45	1	..	46	60	Dropsy	3	12	10	25	34
Epilepsy	1	..	1	4	Abscess	2	3	..	5	4
Insanity	1	..	1	1	Mortification	1	2	3	6	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2	2
Dis. of Brain, &c. ..	6	1	1	8	7	Carcinoma	4	3	7	7
Diseases of the Brain, Nerves, and Senses.}	97	20	16	133	151	Tumor	2
Quinsey	1	1	1	Gout	1	1	1
Bronchitis	1	5	4	10	9	Atrophy	6	..	2	8	4
Pleurisy	1	..	1	2	Debility	17	5	5	27	15
Pneumonia	41	4	4	49	72	Malformations	1
Hydrothorax	1	1	1	3	5	Sudden Deaths	2	6	1	9	13
Asthma	2	4	6	24	Diseases of Uncer- tain Seat	33	34	26	93	103
Consumption	34	101	7	142	141	Old Age, or Natural Decay	1	55	56	71
Dis. of Lungs, &c. ..	1	7	..	8	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	79	121	20	220	266	Privation4
Pericarditis6	Violent Deaths	2	7	4	13	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	2	7	4	13	25
Dis. of Heart, &c. ..	3	10	5	18	17	Causes not specified ..	2	4	..	6	8
Diseases of the Heart and Bloodvessels.}	3	10	5	18	18	Deaths from all Causes	361	246	148	756	..
Teething	14	14	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	10	7	4	21	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	(1) Intussusception, 1.					
Tabes Mesenterica ..	6	6	4	(2) Paramenia, 1.					
Ascites	1	..	1	1						
Ulceration	1	1	2	1						
Hernia	1	1	2						
Colic or Ileus (1) ...	2	1	1	4	1						
Dis. of Stomach, &c. ..	4	2	2	8	4						
Hepatitis	1						
Jaundice	1	..	1	2	2						
Dis. of Liver, &c. ..	2	5	3	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	39	17	14	70	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	127	139
North Districts.	130	163
St. Mary-le-bone; St. Pancras; Islington; Hackney		
Central Districts.	156	190
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London		
East Districts.	158	211
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		
South Districts.	185	223
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich		
TOTAL. Males, 400. Females, 356. (Weekly average 1838-9-40, Males, 475. Females, 451.)	756	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died of "Ovarian Dropsy" was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, July 29th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 31st July, 1841.

Temperature. °	Weeks ending	
	July 24th	July 31st
Highest....	74°	71°
Lowest....	51°	52°
Daily Mean	60°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	13	1	..	14	36	Nephritis4
Measles	24	24	24	Diabetes3
Scarlatina	8	8	38	Stone	1	1	2	.5
Whooping Cough	31	31	28	Stricture	1	..	1	.4
Croup	3	3	7	Dis. of Kidneys, &c.	1	4	5	2.4
Thrush	6	6	5	Diseases of the Kid- neys, &c.}	..	3	5	8	4
Diarrhoea	8	1	2	11	8	Childbed	8	..	8	7
Dysentery	1	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	2
Influenza	1	1	..	2	1	Childbed, Diseases of the Uterus, &c.}	..	9	..	9	9
Typhus (1)	11	8	2	21	46	Rheumatism	2	1	3	3
Erysipelas	6	2	2	10	7	Dis. of Joints, &c.	1	1	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles}	1	2	1	4	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases}	113	13	6	132	204	Fistula4
Cephalitis	8	2	..	10	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	43	1	..	44	34	Diseases of the Skin, &c.}	1	..	1	2	1
Apoplexy	2	3	6	11	18	Inflammation	6	1	1	8	12
Paralysis	7	9	16	15	Hæmorrhage	2	..	2	3
Convulsions	53	1	..	59	60	Dropsy	10	9	19	34
Epilepsy	2	..	2	4	Abscess	1	..	1	4
Insanity	1	..	1	1	Mortification	3	2	..	5	5
Delirium Tremens	1	1	2	1	Scrofula	2
Dis. of Brain, &c. ..	5	5	1	11	7	Carcinoma	2	..	2	7
Diseases of the Brain, Nerves, and Senses.}	116	23	17	156	151	Tumor	1	2	3	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	2	2	2	6	9	Atrophy	8	..	2	10	4
Pleurisy	2	..	2	2	Debility	12	..	6	18	15
Pneumonia	47	8	2	57	72	Malformations	1
Hydrothorax	2	..	2	5	Sudden Deaths	1	7	4	12	13
Asthma	4	3	7	24	Diseases of Uncer- tain Seat	30	26	25	81	103
Consumption	41	95	9	145	141	Old Age, or Natural Decay	2	50	52	71
Dis. of Lungs, &c. ..	4	7	1	12	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	96	120	17	233	266	Privation4
Pericarditis6	Violent Deaths	4	9	1	14	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	4	9	1	14	25
Dis. of Heart, &c. ..	3	7	5	15	17	Causes not specified	1	..	1	8
Diseases of the Heart and Bloodvessels.}	3	7	5	15	18	Deaths from all Causes	410	232	136	778	..
Teething	20	20	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	21	7	2	30	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	2	(1) Remittent Fever, 1.					
Tabes Mesenterica ..	2	2	4	(2) Intussusception, 1.					
Ascites	1	..	1	1						
Ulceration	1	..	1	1						
Hernia	1	..	1	2						
Colic or Ileus (2)	2	2	1						
Dis. of Stomach, &c.	1	..	1	4						
Hepatitis	1	1	1						
Jaundice	3	3	2						
Dis. of Liver, &c.	5	3	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	46	17	8	71	60						

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	125	139
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	147	163
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	150	190
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	173	211
TOTAL.	Males, 413. Females, 365. (Weekly average 1838-9-40, Males, 475. Females, 451.)	183	223
		778	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,551,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, August 5th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th August, 1841.

Temperature. §	Weeks ending	
	July 31st	Aug. 7th
Highest....	71°	71°
Lowest....	52°	50°
Daily Mean	60°	63°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	2	..	9	36	Nephritis	1	1	.4
Measles	15	15	24	Diabetes3
Scarlatina	18	2	..	20	38	Stone	1	..	1	.5
Whooping Cough	37	37	28	Stricture4
Croup	4	4	7	Dis. of Kidneys, &c.	2	2	2.4
Thrush	6	6	5	Diseases of the Kid- neys, &c.}	1	1	2	4	4
Diarrhoea	4	1	2	7	8	Childbed	2	..	2	7
Dysentery	2	2	2	Ovarian Dropsy2
Cholera	1	..	1	1	Dis. of Uterus, &c.	5	..	5	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. ...}	..	7	..	7	9
Typhus	10	8	4	23	46	Rheumatism	1	3	..	4	3
Erysipelas	3	1	..	4	7	Dis. of Joints, &c. ...	2	2	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles}	3	3	..	6	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	108	15	6	130	204	Fistula4
Cephalitis	5	1	..	6	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	35	1	1	37	34	Diseases of the Skin, &c.}	1	1	1
Apoplexy	1	4	6	11	18	Inflammation	2	1	..	3	12
Paralysis	4	5	9	15	Hæmorrhage	4	..	4	3
Convulsions	57	1	..	58	60	Dropsy	5	19	8	32	34
Epilepsy	2	..	2	4	Abscess	2	1	..	3	4
Insanity	1	Mortification	2	2	5
Delirium Tremens	1	..	1	1	Scrofula (3)	1	1	..	2	2
Dis. of Brain, &c. ...	3	3	..	6	7	Carcinoma	4	..	4	7
Diseases of the Brain, Nerves, and Senses.}	101	17	12	130	151	Tumor	1	..	1	2
Quinsey	1	1	1	Gout	1	1	1
Bronchitis	2	3	..	5	9	Atrophy	4	4	5	13	4
Pleurisy	2	Debility	10	2	2	14	15
Pneumonia	38	7	4	49	72	Malformations	1
Hydrothorax	1	2	1	4	5	Sudden Deaths	2	7	1	10	13
Asthma	7	6	13	24	Diseases of Uncer- tain Seat	26	44	19	89	103
Consumption	28	109	2	139	141	Old Age, or Natural Decay	4	43	47	71
Dis. of Lungs, &c. (1)	1	3	4	8	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	70	131	18	219	266	Privation4
Pericarditis6	Violent Deaths	4	13	2	19	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	4	13	2	19	25
Dis. of Heart, &c.	8	3	11	17	Causes not specified ..	1	1	1	3	8
Diseases of the Heart and Bloodvessels.}	..	8	3	11	18	Deaths from all Causes	372	265	121	759	..
Teething	28	28	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	20	6	4	30	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	(1) Laryngitis, 1.					
Tabes Mesenterica ..	4	1	..	5	4	(2) Stricture of œsophagus, 1. Hematemesis, 1. Worms, 1.					
Ascites	1	(3) Purpura, 1.					
Ulceration	1	1	..	2	1						
Hernia	1	2	3	2						
Colic or Ileus	1	1	2	1						
Dis. of Stomach, &c. (2)	3	3	3	9	4						
Hepatitis	1	1	2	1						
Jaundice	1	..	1	2						
Dis. of Liver, &c. ...	1	6	4	11	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	57	21	15	93	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					110		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					132		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					158		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					175		211			
TOTAL. Males, 377. Females, 382. (Weekly average 1838-9-40, Males, 475. Females, 451.)						184		223			
						759		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died of "Typhus" was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, August 12th, 1841.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th August, 1841.

Temperature. °	Weeks ending	
	Aug. 7th	Aug. 14th
Highest....	71°	73°
Lowest....	50°	51°
Daily Mean	63°	63°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	9	1	..	10	36	Nephritis4
Measles	19	19	24	Diabetes	1	..	1	.3
Scarlatina	5	1	1	7	38	Stone5
Hooping Cough	41	41	28	Stricture	1	1	.4
Croup	5	5	7	Dis. of Kidneys, &c. ..	1	2	2	5	2.4
Thrush	10	10	5	Diseases of the Kid- neys, &c.}	1	3	3	7	4
Diarrhoea	12	2	2	16	8	Childbed	7	..	7	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	1	1	Dis. of Uterus, &c.	4	..	4	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.}	..	11	..	11	9
Typhus (1)	7	11	1	19	46	Rheumatism	1	..	1	3
Erysipelas	3	2	..	5	7	Dis. of Joints, &c.	1	1	2	3
Syphilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles }	..	2	1	3	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	113	18	5	136	204	Fistula4
Cephalitis	6	4	1	11	11	Dis. of Skin, &c. (4)	1	1	.3
Hydrocephalus	27	1	..	28	34	Diseases of the Skin, &c.}	1	1	1
Apoplexy	4	5	10	19	18	Inflammation	1	2	..	3	12
Paralysis	4	9	13	15	Hæmorrhage	3	..	3	3
Convulsions	66	66	60	Dropsy	7	13	11	31	34
Epilepsy	2	..	2	4	Abscess	2	2	..	4	4
Insanity	1	1	1	Mortification	1	1	2	4	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2
Dis. of Brain, &c. ..	4	6	2	12	7	Carcinoma	1	2	1	4	7
Diseases of the Brain, Nerves, and Senses. }	107	24	23	154	151	Tumor	2	..	2	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	1	3	4	9	Atrophy	8	..	4	12	4
Pleurisy	2	Debility	15	2	2	19	15
Pneumonia	41	5	1	47	72	Malformations	1	1	1
Hydrothorax	2	2	4	5	Sudden Deaths	4	9	4	17	13
Asthma	2	7	9	24	Diseases of Uncer- tain Seat	40	36	26	102	103
Consumption	43	110	6	159	141	Old Age, or Natural Decay	3	39	42	71
Dis. of Lungs, &c. (2)	4	1	3	8	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	90	121	22	233	266	Privation	1	1	.4
Pericarditis	1	1	.6	Violent Deaths	3	17	4	25	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	4	18	4	27	25
Dis. of Heart, &c. ..	5	9	4	18	17	Causes not specified ..	1	1	..	2	8
Diseases of the Heart and Bloodvessels. }	6	10	4	20	18	Deaths from all Causes	398	264	139	802	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	2	3	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Ague, 1.					
Tabes Mesenterica ..	6	6	4	(2) Laryngitis, 1.					
Ascites	1	(3) Hematemesis, 1. Worms, 1.					
Ulceration	1	1	..	2	1	(4) Carbuncle, 1.					
Hernia	1	1	2	2						
Colic or Ileus	1	2	1	4	1						
Dis. of Stomach, &c. (3)	3	..	2	5	4						
Hepatitis	1	1	2	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. ..	1	7	2	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	17	11	64	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	109	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	148	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	179	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	180	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	186	223
TOTAL. Males, 411. Females, 391. (Weekly average 1838-9-40, Males, 475. Females, 451.)	802	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, August 19th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st August, 1841.

Temperature. §	Weeks ending	
	Aug. 14th	Aug. 21st
Highest....	73°	76°
Lowest....	51°	53°
Daily Mean	63°	61°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	6	6	36	Nephritis4
Measles	18	18	24	Diabetes3
Scarlatina	10	2	..	12	38	Stone	1	1	.5
Hooping Cough	30	30	28	Stricture4
Croup	6	6	7	Dis. of Kidneys, &c. ..	1	3	..	4	3
Thrush	6	6	5	Diseases of the Kid- neys, &c. }	1	3	1	5	4
Diarrhœa	9	2	..	11	8	Childbed	3	..	3	7
Dysentery	1	1	2	2	Ovarian Dropsy2
Cholera	3	2	1	6	1	Dis. of Uterus, &c. (4)	..	3	4	7	2
Influenza	1	Childbed, Diseases of the Uterus, &c. .. }	..	6	4	10	9
Typhus (1)	5	13	3	21	46	Rheumatism	3
Erysipelas	1	..	1	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	..	2	..	2	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	93	22	5	120	204	Fistula4
Cephalitis	10	2	1	13	11	Dis. of Skin, &c.3
Hydrocephalus	29	29	34	Diseases of the Skin, } &c. }	1
Apoplexy	10	14	24	18	Inflammation	5	..	1	6	12
Paralysis	6	7	13	15	Hæmorrhage	1	1	3
Convulsions	48	1	..	49	60	Dropsy	5	18	10	33	34
Epilepsy	6	..	6	4	Abscess	3	2	5	4
Insanity	1	..	1	1	Mortification	2	1	3	5
Delirium Tremens	1	..	1	1	Scrofula	2	2	2
Dis. of Brain, &c. ..	5	3	1	9	7	Carcinoma	3	6	9	7
Diseases of the Brain, } Nerves, and Senses. }	92	30	23	145	151	Tumor	1	1	2	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	1	..	3	4	9	Atrophy	5	..	3	8	4
Pleurisy	1	..	1	2	Debility	10	5	5	20	15
Pneumonia	45	3	..	51	72	Malformations	1
Hydrothorax	2	1	..	3	5	Sudden Deaths	2	3	..	16	13
Asthma	6	2	8	24	Diseases of Uncer- tain Seat	30	35	30	96	103
Consumption	37	90	6	133	141	Old Age, or Natural } Decay	1	57	58	71
Dis. of Lungs, &c. ..	3	4	5	12	12	Intemperance6
Diseases of the Lungs, and } other Organs of Respiration }	90	105	19	214	266	Privation	1	1	.4
Pericarditis	1	1	.6	Violent Deaths	5	7	2	14	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	6	7	2	15	25
Dis. of Heart, &c. ..	2	11	6	19	17	Causes not specified	1	1	2	8
Diseases of the Heart } and Bloodvessels. }	3	12	6	21	18	Deaths from all Causes	368	243	164	776	..
Teething	16	16	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	19	4	5	28	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Ague, 1.					
Tabes Mesenterica ..	9	9	4	(2) Intussusception, 1.					
Ascites	1	1	1	(3) Hematemesis, 2.					
Ulceration	1	1	..	2	1	(4) Paramenia, 1.					
Hernia	1	..	1	2						
Colic or Ileus (2)	2	..	1	3	1						
Dis. of Stomach, &c. (3)	4	6	4	14	6						
Hepatitis	1	1	2	1						
Jaundice	1	1	2						
Dis. of Liver, &c. ..	1	5	4	10	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion .. }	53	19	16	88	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					108		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					132		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					142		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					198		211			
TOTAL. Males, 388. Females, 388. (Weekly average 1838-9-40, Males, 475. Females, 451.)						196		223			
						776		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died a Sudden Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, August 26th, 1841.



THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 28th August, 1841.

Temperature. °	Weeks ending	
	Aug. 21st	Aug. 28th
Highest ...	76°	77°
Lowest....	53°	51°
Daily Mean	64°	63°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	7	36	Nephritis4
Measles	23	23	24	Diabetes	1	..	1	.3
Scarlatina	17	17	38	Stone	1	1	.5
Whooping Cough	24	24	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c.	2	..	2	3
Thrush	6	6	5	Diseases of the Kid- neys, &c.}	..	3	1	4	4
Diarrhoea	11	3	1	15	8	Childbed	7	..	7	7
Dysentery	1	..	2	3	2	Ovarian Dropsy	2	..	2	.2
Cholera	2	..	2	1	Dis. of Uterus, &c. (1)	..	3	..	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c.}	..	12	..	12	9
Typhus	5	9	1	15	46	Rheumatism	2	1	3	3
Erysipelas	1	1	7	Dis. of Joints, &c.	4	..	4	3
Syphilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles }	..	6	1	7	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases }	105	15	4	124	204	Fistula4
Cephalitis	8	3	..	11	11	Dis. of Skin, &c.3
Hydrocephalus	29	29	34	Diseases of the Skin, } &c.}	1	1	1
Apoplexy	1	2	8	11	18	Inflammation	5	5	12
Paralysis	5	7	12	15	Hæmorrhage	1	1	3
Convulsions	55	55	60	Dropsy	4	13	8	25	34
Epilepsy	1	3	1	5	4	Abscess	1	..	1	4
Insanity	1	..	1	1	Mortification	3	2	1	6	5
Delirium Tremens	2	..	2	1	Scrofula (2)	4	2	..	6	2
Dis. of Brain, &c. ..	3	3	..	6	7	Carcinoma	3	5	8	7
Diseases of the Brain, Nerves, and Senses. }	97	19	16	132	151	Tumor	2
Quinsey	1	1	1	Gout	1
Bronchitis	1	1	3	5	9	Atrophy	13	1	..	14	4
Pleurisy	2	Debility	16	1	5	22	15
Pneumonia	38	9	2	49	72	Malformations	1
Hydrothorax	1	1	2	5	Sudden Deaths	3	8	1	12	13
Asthma	3	8	11	24	Diseases of Uncer- tain Seat	48	31	21	100	103
Consumption	28	87	4	119	141	Old Age, or Natural Decay	2	51	53	71
Dis. of Lungs, &c. ..	2	2	2	6	12	Intemperance	2	..	2	.6
Diseases of the Lungs, and other Organs of Respiration }	70	103	20	193	266	Privation4
Pericarditis6	Violent Deaths	8	11	4	23	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	8	13	4	25	25
Dis. of Heart, &c. ..	1	11	4	16	17	Causes not specified ..	2	1	..	3	8
Diseases of the Heart and Bloodvessels. }	1	12	4	17	18	Deaths from all Causes	371	240	134	745	..
Teething	11	11	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	18	6	1	25	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	1	(1) Paramenia, 1.					
Tabes Mesenterica ..	6	1	1	8	4	(2) Purpura, 1.					
Ascites	1	..	1	1						
Ulceration	1	1	..	2	1						
Hernia	3	1	4	2						
Colic or Ileus	2	2	..	4	1						
Dis. of Stomach, &c. ..	1	1	3	5	6						
Hepatitis	3	1	4	1						
Jaundice	2						
Dis. of Liver, &c.	5	4	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	39	23	12	74	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					110		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					130		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					139		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					173		211			
TOTAL. Males, 376. Females, 369. (Weekly average 1838-9-40, Males, 475. Females, 451.)						193		223			
						745		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,990.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, September 2nd, 1841.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th September, 1841.

Temperatures.	Weeks ending	
	Aug. 28th	Sep. 4th
Highest....	77°	77°
Lowest....	51°	51°
Daily Mean	63°	64°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	9	9	36	Nephritis	1	..	1	.4
Measles	23	23	24	Diabetes3
Scarlatina	17	1	..	18	38	Stone	1	1	.5
Whooping Cough	29	29	28	Stricture4
Croup	7	7	7	Dis. of Kidneys, &c.	1	1	3
Thrush	9	9	5	Diseases of the Kid- neys, &c. }	..	1	2	3	4
Diarrhoea	13	4	3	20	8	Childbed	4	..	4	7
Dysentery	4	4	2	Ovarian Dropsy2
Cholera	1	..	1	2	1	Dis. of Uterus, &c.	3	1	4	2
Influenza	1	Childbed, Diseases of the Uterus, &c. }	..	7	1	8	9
Typhus	18	13	5	36	46	Rheumatism	1	1	..	2	3
Erysipelas	1	1	1	3	7	Dis. of Joints, &c. }	..	4	..	4	3
Syphilis	1	Diseases of the Joints, Bones and Muscles }	1	5	..	6	6
Hydrophobia1	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases }	127	19	14	160	204	Fistula4
Cephalitis	7	2	..	9	11	Dis. of Skin, &c. }3
Hydrocephalus	27	1	..	28	34	Diseases of the Skin, &c. }	..	1	..	1	1
Apoplexy	1	3	8	12	18	Inflammation	3	3	12
Paralysis	3	3	6	15	Hæmorrhage	5	2	7	3
Convulsions	68	1	..	69	60	Dropsy	2	12	6	20	34
Epilepsy	1	4	..	5	4	Abscess	1	2	1	4	4
Insanity	1	..	1	1	Mortification	1	..	2	3	5
Delirium Tremens	1	Scrofula (1)	1	1	2
Dis. of Brain, &c. ..	6	1	..	7	7	Carcinoma	7	2	9	7
Diseases of the Brain, Nerves, and Senses. }	110	16	11	137	151	Tumor	3	..	3	2
Quinsey	1	1	1	Gout	1
Bronchitis	3	2	1	6	9	Atrophy	9	..	1	10	4
Pleurisy	1	..	1	2	Debility	16	1	4	21	15
Pneumonia	48	8	2	58	72	Malformations	1	1	1
Hydrothorax	2	2	5	Sudden Deaths	3	3	3	9	13
Asthma	4	1	5	24	Diseases of Uncer- tain Seat	37	33	21	91	103
Consumption	27	104	5	136	141	Old Age, or Natural Decay	1	44	45	71
Dis. of Lungs, &c. ..	5	4	3	12	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	84	123	14	221	266	Privation4
Pericarditis6	Violent Deaths	12	6	2	21	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	12	7	2	22	25
Dis. of Heart, &c. ..	2	15	3	20	17	Causes not specified	2	..	2	8
Diseases of the Heart and Bloodvessels. }	2	16	3	21	18	Deaths from all Causes	424	245	118	788	..
Teething	21	21	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	18	5	1	24	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	1	(1) Purpura, 1.					
Tabes Mesenterica ..	5	5	4						
Ascites	1	..	1	1						
Ulceration	1	1	1						
Hernia	1	1	2	2						
Colic or Ileus	1	1	1						
Dis. of Stomach, &c. ..	1	2	..	3	6						
Hepatitis	1	1	1						
Jaundice	2	2	2						
Dis. of Liver, &c. ..	2	5	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	51	14	6	71	60						

		Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	112	139
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney	136	163
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	175	190
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	168	211
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	197	223
TOTAL. Males, 427. Females, 361. (Weekly average 1838-9-40, Males, 475. Females, 451.)		788	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, September 9th, 1841.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th September, 1841.

Temperature. °	Weeks ending	
	Sep. 4th	Sep. 11th
Highest....	77°	69°
Lowest....	51°	43°
Daily Mean	64°	57°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	9	1	..	10	36	Nephritis4
Measles	22	22	24	Diabetes3
Scarlatina	12	12	38	Stone5
Whooping Cough	49	49	28	Stricture	1	..	1	.4
Croup	5	..	1	6	7	Dis. of Kidneys, &c.	1	..	1	3
Thrush	10	10	5	Diseases of the Kid- neys, &c.}	..	2	..	2	4
Diarrhoea	27	5	4	37	8	Childbed	4	..	4	7
Dysentery	1	1	2	Ovarian Dropsy	1	1	2	.2
Cholera	2	1	1	4	1	Dis. of Uterus, &c. (4)	..	1	..	1	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.}	..	6	1	7	9
Typhus	9	10	2	21	46	Rheumatism	1	2	1	4	3
Erysipelas	3	3	..	6	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles}	1	4	1	6	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	150	21	8	180	204	Fistula4
Cephalitis	12	2	1	15	11	Dis. of Skin, &c.3
Hydrocephalus	37	37	34	Diseases of the Skin, { &c.}	1
Apoplexy	5	8	13	18	Inflammation	4	4	12
Paralysis	1	4	8	13	15	Hæmorrhage	1	2	..	3	3
Convulsions	65	1	..	66	60	Dropsy	2	16	11	29	34
Epilepsy	1	..	1	4	Abscess	1	2	..	3	4
Insanity	1	Mortification	1	1	2	5
Delirium Tremens	2	..	2	1	Scrofula	3	3	2
Dis. of Brain, &c. (1)	7	2	2	11	7	Carcinoma	10	8	18	7
Diseases of the Brain, { Nerves, and Senses.}	122	17	19	158	151	Tumor	1	1	2
Quinsey	3	3	1	Gout	1
Bronchitis	2	3	3	8	9	Atrophy	10	10	4
Pleurisy	2	..	2	2	Debility	16	..	6	22	15
Pneumonia	42	7	4	53	72	Malformations	1	1	1
Hydrothorax	1	2	2	5	5	Sudden Deaths	4	4	2	10	13
Asthma	4	7	11	24	Diseases of Uncer- tain Seat	43	35	28	106	103
Consumption	34	107	6	147	141	Old Age, or Natural Decay	2	42	44	71
Dis. of Lungs, &c. ..	3	3	3	9	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	85	128	25	238	266	Privation4
Pericarditis	1	..	1	.6	Violent Deaths	2	10	2	14	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	2	11	2	15	25
Dis. of Heart, &c. ..	1	8	1	10	17	Causes not specified	1	1	8
Diseases of the Heart { and Bloodvessels. }	1	9	1	11	18	Deaths from all Causes	472	261	135	869	..
Teething	30	30	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis..	25	6	3	34	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Tetanus, 1.					
Tabes Mesenterica ..	7	7	4	(2) Hematemesis, 1.					
Ascites	1	1	2	1	(3) Disease of Spleen, 1.					
Ulceration	1	..	1	1	(4) Paramenia, 1.					
Hernia	1	1	2	2						
Colic or Ileus	1	2	..	3	1						
Dis. of Stomach, &c. (2)	2	4	1	7	6						
Hepatitis	1	1	..	2	1						
Jaundice	2						
Dis. of Liver, &c. (3)	2	9	1	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	68	26	7	101	60						

Deaths in the Week.		Average Weekly Deaths, 1838-9-40.	
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}	115	139
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney	149	163
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	183	190
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	204	211
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	218	223
TOTAL. Males, 455. Females, 414. (Weekly average 1838-9-40, Males, 475. Females, 451.)		869	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died of Diarrhoea was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, September 16th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th September, 1841.

Temperature. °	Weeks ending	
	Sep. 11th	Sep. 18th
Highest....	69°	79°
Lowest....	43°	50°
Daily Mean	57°	66°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	1	..	8	36	Nephritis	1	..	1	.4
Measles	15	15	24	Diabetes3
Scarlatina	11	1	..	12	38	Stone5
Whooping Cough	45	45	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	2	1	3	3
Tetanus	12	12	5	Diseases of the Kid- neys, &c.}	..	3	1	4	4
Diarrhoea	25	2	..	27	8	Childbed	7	..	7	7
Dysentery	2	3	..	5	2	Ovarian Dropsy2
Cholera	1	1	2	1	Dis. of Uterus, &c.	2
Erysipelas	1	1	1	Childbed, Diseases of the Uterus, &c. ...}	..	7	..	7	9
Erysipelas	8	18	4	30	46	Rheumatism	2	..	2	3
Erysipelas	2	2	4	7	Dis. of Joints, &c.	3
Erysipelas	1	Diseases of the Joints, Bones and Muscles}	..	2	..	2	6
Erysipelas1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	134	28	7	169	204	Fistula4
Cephalitis	12	1	..	13	11	Dis. of Skin, &c.3
Hydrocephalus	37	37	34	Diseases of the Skin, &c.}	1
Apoplexy	5	5	10	18	Inflammation	4	..	2	6	12
Paralysis	4	3	7	15	Hæmorrhage	1	2	1	4	3
Convulsions	67	67	60	Dropsy	1	16	14	31	34
Epilepsy	1	2	1	4	4	Abscess	4	2	6	4
Mania	1	Mortification	6	6	5
Delirium Tremens	1	..	1	1	Scrofula (3)	3	2	..	5	2
Dis. of Brain, &c. ...	6	1	1	8	7	Carcinoma	5	2	7	7
Diseases of the Brain, Nerves, and Senses.}	123	14	10	147	151	Tumor	3	..	3	2
Quincy	1	1	1	Gout	1
Bronchitis	5	1	2	8	9	Atrophy	11	..	2	13	4
Pleurisy	1	1	2	Debility	10	2	4	16	15
Pneumonia	72	7	2	81	72	Malformations	1
Hydrothorax	1	1	2	5	Sudden Deaths	2	8	1	11	13
Asthma	3	4	7	24	Diseases of Uncer- tain Seat	32	42	34	108	103
Consumption	33	98	6	137	141	Old Age, or Natural Decay	4	61	65	71
Dis. of Lungs, &c. (1)	6	4	..	10	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	118	114	15	247	266	Privation4
Pericarditis6	Violent Deaths	3	12	3	19	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	3	13	3	21	25
Dis. of Heart, &c. ...	1	12	7	20	17	Causes not specified ..	1	3	3	7	8
Diseases of the Heart and Bloodvessels.}	1	12	7	20	18	Deaths from all Causes	468	261	146	877	..
Teething	22	22	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	23	7	2	32	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Laryngitis, 1. (2) Worms, 1. (3) Purpura, 2.					
Peritonitis	1						
Abes Mesenterica ..	7	7	4						
Ascites	1	Deaths in the Week.					
Emaciation	1						
Fernia	2						
Colic or Ileus	1	1	2	1	Average Weekly Deaths, 1838-9-40.					
Dis. of Stomach, &c. (2)	2	..	2	4	6						
Hepatitis	1	1	..	2	1						
Jaundice	2	..	2	2	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}					
Dis. of Liver, &c. ...	1	8	..	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	56	19	5	80	60						
TOTAL. Males, 460. Females, 417. (Weekly average 1838-9-40, Males, 475. Females, 451.)						St. Mary-le-bone; St. Pancras; Islington; Hackney					
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}						St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					
St. Mary-le-bone; St. Pancras; Islington; Hackney						Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London						St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						TOTAL. Males, 460. Females, 417. (Weekly average 1838-9-40, Males, 475. Females, 451.)					

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of two persons were not stated; one died of Intemperance, and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, September 23rd, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 6d. per Quarter.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th September, 1841.

Temperature. °	Weeks ending	
	Sep. 18th	Sep. 25th
Highest....	79°	70°
Lowest....	50°	51°
Daily Mean	66°	61°


Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	4	36	Nephritis4
Measles	24	24	24	Diabetes3
Scarlatina	16	2	..	18	38	Stone5
Whooping Cough	42	42	28	Stricture	1	..	1	.4
Croup	4	4	7	Dis. of Kidneys, &c.	2	2	4	3
Thrush	7	1	..	8	5	Diseases of the Kid- neys, &c.}	..	3	2	5	4
Diarrhoea	19	1	5	25	8	Childbed	2	..	2	7
Dysentery	1	2	..	3	2	Ovarian Dropsy2
Cholera	1	1	2	4	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c.}	..	4	1	5	9
Typhus (1)	9	22	3	34	46	Rheumatism	2	..	2	3
Erysipelas	1	1	..	2	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	..	4	..	4	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	128	30	10	168	204	Fistula4
Cephalitis	12	2	..	14	11	Dis. of Skin, &c.3
Hydrocephalus	40	1	..	41	34	Diseases of the Skin, &c.}	1
Apoplexy	2	5	5	12	18	Inflammation	2	1	..	3	12
Paralysis	5	1	6	15	Hæmorrhage	3	..	3	3
Convulsions	71	71	60	Dropsy	5	21	8	34	34
Epilepsy	2	..	2	4	Abscess	5	1	..	6	4
Insanity	1	Mortification	2	1	3	6	5
Delirium Tremens	2	1	3	1	Scrofula	2	2	2
Dis. of Brain, &c. (2)	2	7	1	10	7	Carcinoma	8	..	8	7
Diseases of the Brain, Nerves, and Senses.}	127	24	8	159	151	Tumor	1	1	1	3	2
Quinsey	1	Gout	1
Bronchitis	2	2	4	8	9	Atrophy	8	1	..	9	4
Pleurisy	1	..	1	2	2	Debility	17	9	4	30	15
Pneumonia	51	8	3	62	72	Malformations	1	..	1	1
Hydrothorax	1	1	5	Sudden Deaths	1	2	3	6	13
Asthma	9	3	12	24	Diseases of Uncer- tain Seat	43	49	19	111	103
Consumption	36	96	4	136	141	Old Age, or Natural Decay	1	51	52	71
Dis. of Lungs, &c. ..	1	7	5	13	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	91	122	21	234	266	Privation	1	..	1	.4
Pericarditis	1	..	1	.6	Violent Deaths	7	19	3	29	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	7	21	3	31	25
Dis. of Heart, &c. ..	1	11	5	17	17	Causes not specified	1	1	8
Diseases of the Heart } and Bloodvessels. }	1	12	5	18	18	Deaths from all Causes	436	294	127	857	..
Teething	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	15	6	1	22	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	(1) Ague, 1. Remittent Fever, 2.					
Tabes Mesenterica ..	5	5	4	(2) Tetanus, 1.					
Ascites	1	(3) Intussusception, 1.					
Ulceration	1	1	1						
Hernia	2	1	3	2						
Colic or Ileus (3)	2	..	2	1						
Dis. of Stomach, &c.	2	..	2	6						
Hepatitis	2	..	2	1						
Jaundice	3	2	5	2						
Dis. of Liver, &c. ..	1	7	2	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	39	24	6	69	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					112		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					136		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					204		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					224		211			
TOTAL. Males, 451. Females, 406. (Weekly average 1838-9-40, Males, 475. Females, 451.)						181		223			
						857		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, September 30th, 1841.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd October, 1841.

Temperature.	Weeks ending	
	Sep. 25th	Oct. 2nd
Highest ...	70°	67°
Lowest	51°	49°
Daily Mean	61°	59°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	1	..	8	36	Nephritis4
Measles	24	24	24	Diabetes	1	..	1	.3
Scarlatina	15	4	..	19	38	Stone5
Whooping Cough	43	43	28	Stricture4
Croup	5	5	7	Dis. of Kidneys, &c.	2	1	3	3
Thrush	9	9	5	<i>Diseases of the Kid- neys, &c.</i>	..	3	1	4	4
Diarrhœa	19	3	4	26	8	Childbed	2	..	2	7
Dysentery	1	1	2	2	Ovarian Dropsy	1	1	.2
Cholera	1	1	1	Dis. of Uterus, &c.	2	2	4	2
Influenza	1	<i>Childbed, Diseases of the Uterus, &c.</i>	..	4	3	7	9
Typhus	6	10	1	17	46	Rheumatism	2	..	2	3
Erysipelas	2	1	3	7	Dis. of Joints, &c.	3
Syphilis	1	<i>Diseases of the Joints, Bones and Muscles</i>	..	2	..	2	6
Hydrophobia1	Ulcer4
<i>Epidemic, Endemic, & Contagious Diseases</i>	128	21	8	157	204	Fistula4
Cephalitis	8	5	..	13	11	Dis. of Skin, &c.3
Hydrocephalus	32	32	34	<i>Diseases of the Skin, } &c.</i>	1
Apoplexy	1	7	10	18	18	Inflammation	2	2	12
Paralysis	8	5	13	15	Hæmorrhage	1	4	..	5	3
Convulsions	72	1	..	73	60	Dropsy	4	21	10	35	34
Epilepsy	3	1	4	4	Abscess	1	..	1	4
Insanity	1	1	2	1	Mortification	1	..	1	2	5
Delirium Tremens	2	..	2	1	Scrofula	1	..	1	2
Dis. of Brain, &c. (1)	5	7	1	13	7	Carcinoma	7	5	12	7
<i>Diseases of the Brain, } Nerves, and Senses. }</i>	118	34	18	170	151	Tumor	2	..	2	2
Quinsey	1	Gout	1	..	1	1
Bronchitis	8	..	3	12	9	Atrophy	7	1	1	9	4
Pleurisy	2	..	2	2	Debility	10	1	5	16	15
Pneumonia	57	9	1	67	72	Malformations	1
Hydrothorax	3	2	5	5	Sudden Deaths	4	14	8	26	13
Asthma	4	6	10	24	<i>Diseases of Uncer- tain Seat</i>	29	53	30	112	103
Consumption	38	91	4	133	141	Old Age, or Natural Decay	1	48	49	71
Dis. of Lungs, &c. (2)	3	4	1	8	12	Intemperance6
<i>Diseases of the Lungs, and other Organs of Respiration }</i>	106	114	17	237	266	Privation4
Pericarditis6	Violent Deaths	6	18	4	32	24
Aneurism	1	..	1	.6	<i>Deaths by Violence, Pri- vation, or Intemperance }</i>	6	18	4	32	25
Dis. of Heart, &c.	9	4	13	17	Causes not specified ..	3	3	3	9	8
<i>Diseases of the Heart } and Bloodvessels. }</i>	..	10	4	14	18	Deaths from all Causes	451	282	146	883	..
Teething	34	34	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	17	9	3	29	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	1	(1) Tetanus, 1.					
Tabes Mesenterica ..	5	5	4	(2) Laryngitis, 1.					
Ascites	1	1	1	(3) Intussusception, 1.					
Ulceration	1	1	1						
Hernia	1	..	1	2	2						
Colic or Ileus (3)	3	3	..	6	1						
Dis. of Stomach, &c.	1	2	3	6						
Hepatitis	1	1	1						
Jaundice	3	..	3	2						
Dis. of Liver, &c.	3	1	4	7						
<i>Diseases of the Stomach, } Liver, and other Or- gans of Digestion .. }</i>	61	19	10	90	60						
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }						Deaths in the Week.	127				
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney						Average Weekly Deaths, 1838-9-40.	139				
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London							158				
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							165				
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich							213				
TOTAL. Males, 440. Females, 443. (Weekly average 1838-9-40, Males, 475. Females, 451.)							220				
							883				
							926				

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of 4 Persons who died Violent Deaths were not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, October 7th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th October, 1841.

Temperature. °	Weeks ending	
	Oct. 2nd	Oct. 9th
Highest....	67°	61°
Lowest....	49°	48°
Daily Mean	59°	54°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	4	36	Nephritis4
Measles	30	30	24	Diabetes3
Scarlatina	14	14	38	Stone	1	1	.5
Whooping Cough	45	45	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	1	1	2	3
Thrush	6	6	5	Diseases of the Kid- neys, &c. }	1	1	1	3	4
Diarrhoea	13	2	1	16	8	Childbed	1	..	1	7
Dysentery	1	1	..	2	2	Ovarian Dropsy2
Cholera	1	1	1	Dis. of Uterus, &c.	3	..	3	2
Influenza	2	2	1	Childbed, Diseases of the Uterus, &c. }	..	4	..	4	9
Typhus	4	9	3	16	46	Rheumatism	1	3	..	4	3
Erysipelas	1	2	..	3	7	Dis. of Joints, &c.	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	1	3	..	4	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases }	130	14	4	148	204	Fistula4
Cephalitis	9	2	..	11	11	Dis. of Skin, &c.3
Hydrocephalus	25	1	..	26	34	Diseases of the Skin, { &c. }	1	1	1
Apoplexy	6	11	17	18	Inflammation	4	2	..	6	12
Paralysis	7	12	19	15	Hæmorrhage	1	..	1	3
Convulsions	42	1	..	43	60	Dropsy	6	17	15	38	34
Epilepsy	3	1	4	4	Abscess	3	..	3	4
Insanity	1	Mortification	3	2	1	6	5
Delirium Tremens	2	..	2	1	Scrofula	1	2	..	3	2
Dis. of Brain, &c. ..	3	1	..	4	7	Carcinoma	1	6	2	9	7
Diseases of the Brain, { Nerves, and Senses. }	79	23	24	126	151	Tumor	1	1	..	2	2
Quinsey	1	1	1	Gout	1
Bronchitis	3	2	2	7	9	Atrophy	7	..	2	9	4
Pleurisy	1	1	2	Debility	17	1	4	22	15
Pneumonia	54	12	1	67	72	Malformations	1
Hydrothorax	1	1	1	3	5	Sudden Deaths	2	1	3	17	13
Asthma	1	5	3	9	24	Diseases of Uncer- tain Seat	42	36	27	106	103
Consumption	46	91	10	148	141	Old Age, or Natural Decay	2	46	48	71
Dis. of Lungs, &c. (1)	2	6	1	9	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	108	117	19	245	266	Privation4
Pericarditis	1	..	1	.6	Violent Deaths	3	18	3	25	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	3	18	3	25	25
Dis. of Heart, &c.	11	5	16	17	Causes not specified ..	4	1	2	7	8
Diseases of the Heart { and Bloodvessels. }	..	12	5	17	18	Deaths from all Causes	422	248	142	1816	..
Teething	25	25	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	14	5	4	23	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Laryngitis, 1.					
Tabes Mesenterica ..	10	1	..	11	4	(2) Worms, 1.					
Ascites	1						
Ulceration	2	1	1	4	1						
Hernia	1	..	1	2						
Colic or Ileus	3	1	4	1						
Dis. of Stomach, &c. (2)	1	1	..	2	6						
Hepatitis	1						
Jaundice	2	2	2						
Dis. of Liver, &c. ..	2	4	2	9	7						
Diseases of the Stomach, { Liver, and other Or- gans of Digestion }	54	17	10	82	60						
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney					118		139			
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					132		163			
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					159		190			
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					199		211			
						208		223			
TOTAL. Males, 440. Females, 376. (Weekly average 1838-9-40, Males, 475. Females, 451.)						816		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of 4 Persons were not stated; one died of Consumption; one of Liver Disease; one Suddenly; and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th October, 1841.

Temperature §	Weeks ending	
	Oct. 9th	Oct. 16th
Highest....	61°	64°
Lowest....	48°	46°
Daily Mean	54°	54°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	7	36	Nephritis	1	..	1	.4
Measles	22	22	24	Diabetes3
Scarlatina	7	1	..	8	38	Stone5
Hooping Cough	46	46	28	Stricture4
Croup	7	7	7	Dis. of Kidneys, &c.	3	..	3	3
Thrush	8	8	5	Diseases of the Kid- neys, &c. }	..	4	..	4	4
Diarrhoea	8	2	6	16	8	Childbed	7	..	7	7
Dysentery	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	Childbed, Diseases of the Uterus, &c. }	..	8	..	8	9
Typhus	8	11	4	23	46	Rheumatism	3
Erysipelas	1	..	1	7	Dis. of Joints, &c.	1	..	1	3
Syphilis	1	Diseases of the Joints, Bones and Muscles }	..	1	..	1	6
Hydrophobia1	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases }	113	16	10	139	204	Fistula	1	..	1	.4
Cephalitis	5	3	1	9	11	Dis. of Skin, &c.3
Hydrocephalus	29	29	34	Diseases of the Skin, &c. }	..	2	..	2	1
Apoplexy	1	10	10	21	18	Inflammation	3	3	12
Paralysis	8	6	14	15	Hæmorrhage	1	1	2	3
Convulsions	54	3	..	57	60	Dropsy	3	19	15	37	34
Epilepsy	1	..	1	4	Abscess	2	1	3	4
Insanity	1	Mortification	2	1	3	5
Delirium Tremens	1	..	1	1	Scrofula	1	4	..	5	2
Dis. of Brain, &c. ..	7	3	3	13	7	Carcinoma	1	5	2	8	7
Diseases of the Brain, Nerves, and Senses. }	96	29	20	145	151	Tumor	1	4	..	5	2
Quinsey	1	..	2	3	1	Gout	1
Bronchitis	1	4	2	7	9	Atrophy	6	1	1	8	4
Pleurisy	1	1	..	2	2	Debility	23	2	2	27	15
Pneumonia	46	8	2	56	72	Malformations	1
Hydrothorax	3	2	5	5	Sudden Deaths	3	4	3	10	13
Asthma	12	6	18	24	Diseases of Uncer- tain Seat	41	44	26	111	103
Consumption	37	88	5	130	141	Old Age, or Natural Decay	54	54	71
Dis. of Lungs, &c. ..	2	3	5	10	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	88	119	24	231	266	Privation4
Pericarditis6	Violent Deaths	8	13	2	24	24
Aneurism	1	1	2	.6	Deaths by Violence, Pri- vation, or Intemperance }	8	13	2	24	25
Dis. of Heart, &c. ..	1	10	5	16	17	Causes not specified ..	1	1	..	2	8
Diseases of the Heart and Bloodvessels. }	1	11	6	18	18	Deaths from all Causes	390	269	150	810	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	11	8	4	23	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Worms, 1.					
Tabes Mesenterica ..	8	8	4						
Ascites	1						
Ulceration	1						
Hernia	3	3	2						
Colic or Ileus	1	4	1	6	1						
Dis. of Stomach, &c. (1)	2	1	..	3	6						
Hepatitis	1						
Jaundice	1	2	..	3	2						
Dis. of Liver, &c.	5	..	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	42	21	8	71	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	111	139
North Districts.	130	163
St. Mary-le-bone; St. Pancras; Islington; Hackney		
Central Districts.	179	190
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London		
East Districts.	179	211
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		
South Districts.	211	223
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich		
TOTAL. Males, 406. Females, 404 (Weekly average 1838-9-40, Males, 475. Females, 451.)	810	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one Person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, October 21st, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd October, 1841.

Temperature. °	Weeks ending	
	Oct. 16th	Oct. 23rd
Highest....	64°	63°
Lowest....	46°	38°
Daily Mean	54°	50°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	5	2	..	7	36	Nephritis	1	..	1	.4
Measles	33	33	24	Diabetes3
Scarlatina	15	16	38	Stone	1	..	1	.5
Whooping Cough	42	42	28	Stricture4
Croup	4	4	7	Dis. of Kidneys, &c. (2)	1	..	1	3
Thrush	6	6	5	Diseases of the Kid- neys, &c. }	..	3	..	3	4
Diarrhoea	13	1	4	18	8	Childbed	7	..	7	7
Dysentery	1	1	..	2	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	2	2	1	Childbed, Diseases of the Uterus, &c. }	..	9	..	9	9
Typhus	10	10	7	27	46	Rheumatism	1	2	..	3	3
Erysipelas	2	1	2	5	7	Dis. of Joints, &c.	1	1	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	1	2	1	4	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	134	15	13	163	204	Fistula4
Cephalitis	2	1	..	3	11	Dis. of Skin, &c.3
Hydrocephalus	22	..	1	23	34	Diseases of the Skin, &c. }	1
Apoplexy	1	13	5	19	18	Inflammation	2	2	12
Paralysis	4	11	15	15	Hæmorrhage	1	..	1	3
Convulsions	37	37	60	Dropsy	5	17	12	34	34
Epilepsy	2	..	2	4	Abscess	1	1	..	2	4
Insanity	1	..	1	1	Mortification	2	1	1	4	5
Delirium Tremens	1	..	1	1	Scrofula	2	2	1	5	2
Dis. of Brain, &c.	5	4	1	10	7	Carcinoma	3	3	6	7
Diseases of the Brain, Nerves, and Senses. }	67	26	18	112	151	Tumor	2	..	2	2
Quinsey	2	2	1	Gout	1	1	2	1
Bronchitis	2	1	3	9	Atrophy	6	6	4
Pleurisy	1	..	1	2	Debility	10	1	8	19	15
Pneumonia	48	4	..	52	72	Malformations	1
Hydrothorax	5	Sudden Deaths	3	11	..	14	13
Asthma	7	7	14	24	Diseases of Uncer- tain Seat	31	40	26	97	103
Consumption	35	107	7	149	141	Old Age, or Natural Decay	2	40	42	71
Dis. of Lungs, &c. (1)	3	8	3	14	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	88	129	18	235	266	Privation4
Pericarditis6	Violent Deaths	5	9	4	19	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	5	9	4	19	25
Dis. of Heart, &c.	3	10	6	19	17	Causes not specified ..	1	1	8
Diseases of the Heart and Bloodvessels. }	3	11	6	20	18	Deaths from all Causes	380	260	131	775	..
Teething	27	27	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	13	4	..	17	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	(1) Laryngiti, 1.					
Tabes Mesenterica ..	9	9	4	(2) Cystitis, 1.					
Ascites	1	..	1	1						
Ulceration	1	1	1						
Hernia	1	1	2	2						
Colic or Ileus	1	..	1	2	1						
Dis. of Stomach, &c.	1	..	1	6						
Hepatitis	1	..	1	1						
Jaundice	3	..	4	2						
Dis. of Liver, &c.	3	2	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	50	14	5	70	60						
						Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			

<i>West Districts.</i>	{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	108	139
<i>North Districts.</i>	{ St. Mary-le-bone; St. Pancras; Islington; Hackney	133	163
<i>Central Districts.</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	179	190
<i>East Districts.</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	187	211
<i>South Districts.</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	168	223
TOTAL Males 385 Females. 390. (Weekly average 1838-9-40, Males, 475. Females, 451.)		775	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of 4 Persons were not stated; one died of Scarlatina; one of Paralysis; one of Jaundice; and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, October 28th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th October, 1841.

Temperature. °	Weeks ending	
	Oct. 23rd	Oct. 30th
Highest ...	63°	58°
Lowest	38°	37°
Daily Mean	50°	48°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	4	36	Nephritis	1	1	2	.4
Measles	19	19	24	Diabetes3
Scarlatina	11	2	..	13	38	Stone	1	1	.5
Hooping Cough	53	53	28	Stricture	1	..	1	.4
Croup	8	8	7	Dis. of Kidneys, &c.	3	2	5	.3
Thrush	7	7	5	Diseases of the Kid- neys, &c. }	..	5	4	9	.4
Diarrhoea	8	1	1	10	8	Childbed	8	..	8	.7
Dysentery	1	2	..	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.2
Induenza	1	..	1	1	Childbed, Diseases of the Uterus, &c. ... }	..	8	..	8	.9
Typhus	12	4	2	18	46	Rheumatism	2	1	3	.3
Erysipelas	4	1	..	5	7	Dis. of Joints, &c. ...	2	1	..	3	.3
Syphilis	1	Diseases of the Joints, Bones and Muscles }	2	3	1	6	.6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	127	11	3	141	204	Fistula4
Cephalitis	4	3	..	7	11	Dis. of Skin, &c.	1	..	1	.3
Hydrocephalus	32	32	34	Diseases of the Skin, { &c. }	..	1	..	1	.1
Apoplexy	7	10	17	18	Inflammation	2	1	..	3	.12
Paralysis	1	2	5	8	15	Hæmorrhage	3	..	3	.3
Convulsions	35	35	60	Dropsy	2	20	12	34	.34
Epilepsy	1	..	1	4	Abscess	2	1	..	3	.4
Insanity	4	..	4	1	Mortification	1	1	3	5	.5
Delirium Tremens	1	Scrofula (3)	1	..	1	.2
Dis. of Brain, &c. ...	4	3	2	9	7	Carcinoma	1	4	2	7	.7
Diseases of the Brain, Nerves, and Senses }	76	20	17	113	151	Tumor	1	..	1	.2
Quinsey	1	1	1	Gout	1	..	1	.1
Bronchitis	2	2	5	9	9	Atrophy	5	..	2	7	.4
Pleurisy	1	..	1	2	Debility	17	17	.15
Pneumonia	52	10	3	65	72	Malformations1
Hydrothorax	1	1	5	Sudden Deaths	2	11	1	14	.13
Asthma	6	2	8	24	Diseases of Uncer- tain Seat	32	44	20	96	.103
Consumption	32	95	8	135	141	Old Age, or Natural Decay	2	66	68	.71
Dis. of Lungs, &c. (1)	4	10	6	20	12	Intemperance	1	1	2	.6
Diseases of the Lungs, and other Organs of Respiration }	91	124	25	240	266	Privation4
Pericarditis6	Violent Deaths	2	14	6	23	.24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	2	15	7	25	.25
Dis. of Heart, &c. ...	2	8	2	12	17	Causes not specified	2	3	5	.8
Diseases of the Heart and Bloodvessels. }	2	8	2	12	18	Deaths from all Causes	367	266	158	1792	..
Teething	21	21	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	9	2	17	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Laryngitis, 1.					
Tubæ Mesenterica ..	6	6	4	(2) Worms, 1. Stricture of œsophagus, 1.					
Ascites	1	(3) Purpura, 1.					
Ulceration	1	2	..	3	1						
Hernia	2	..	2	2						
Colic or Ileus	1						
Dis. of Stomach, &c. (2)	1	1	3	5	6						
Hepatitis	1						
Jaundice	2	2	2						
Dis. of Liver, &c.	8	3	11	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	35	23	10	68	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					98		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					165		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					131		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					193		211			
TOTAL. Males, 393. Females, 399.						205		223			
(Weekly average 1838-9-40, Males, 475. Females, 451.)						792		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, November 4th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th November, 1841.

Temperature. °	Weeks ending	
	Oct. 30th	Nov. 6th
Highest....	58°	54°
Lowest....	37°	45°
Daily Mean	48°	49°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.				
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards						
Small Pox	5	5	36	Nephritis	1	1	.4				
Measles	18	18	24	Diabetes3				
Scarlatina	13	1	..	14	38	Stone5				
Whooping Cough	38	38	28	Stricture4				
Croup	10	10	7	Dis. of Kidneys, &c. ..	1	1	..	2	3				
Thrush	5	5	5	Diseases of the Kid- neys, &c.}	1	1	1	3	4				
Diarrhoea	6	3	..	9	8	Childbed	12	..	12	7				
Dysentery	1	1	..	2	2	Ovarian Dropsy2				
Cholera	1	Dis. of Uterus, &c.	1	..	1	2				
Influenza	1	Childbed, Diseases of the Uterus, &c.}	..	13	..	13	9				
Typhus (1)	10	11	4	25	46	Rheumatism	1	1	3				
Erysipelas	1	1	1	3	7	Dis. of Joints, &c.}	..	2	..	2	3				
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles}	1	2	..	3	6				
Hydrophobia1	Ulcer4				
Epidemic, Endemic, & Contagious Diseases }	108	17	5	130	204	Fistula4				
Cephalitis	7	..	1	8	11	Dis. of Skin, &c.}3				
Hydrocephalus	26	26	34	Diseases of the Skin, &c.}	1				
Apoplexy	9	7	16	18	Inflammation	1	1	1	3	12				
Paralysis	12	8	20	15	Hæmorrhage	1	1	3				
Convulsions	47	47	60	Dropsy	6	16	13	35	34				
Epilepsy	1	..	1	4	Abscess	1	1	..	2	4				
Insanity	1	Mortification	3	3	..	6	5				
Delirium Tremens	5	..	5	1	Scrofula	2				
Dis. of Brain, &c. ..	3	6	2	11	7	Carcinoma	7	1	8	7				
Diseases of the Brain, Nerves, and Senses. }	83	33	18	134	151	Tumor	2	..	1	3	2				
Quinsey	1	1	1	Gout	1	1	1				
Bronchitis	1	1	1	3	9	Atrophy	4	..	3	7	4				
Pleurisy	1	3	4	8	2	Debility	12	1	9	22	15				
Pneumonia	56	15	3	75	72	Malformations	1				
Hydrothorax	1	3	4	5	Sudden Deaths	10	9	3	22	13				
Emphysema	1	10	9	20	24	Diseases of Uncer- tain Seat	40	38	32	110	103				
Consumption	26	99	11	136	141	Old Age, or Natural Decay	1	51	52	71				
Dis. of Lungs, &c. ..	5	10	4	19	12	Intemperance	1	..	1	.6				
Diseases of the Lungs, and other Organs of Respiration }	91	139	35	266	266	Privation	1	1	.4				
Pericarditis	1	1	.6	Violent Deaths	7	13	2	22	24				
Aneurism	1	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	8	14	2	24	25				
Dis. of Heart, &c.	12	4	16	17	Causes not specified ..	2	1	2	5	8				
Diseases of the Heart and Bloodvessels. }	1	12	5	18	18	Deaths from all Causes	365	291	156	813	..				
Ceething	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926				
Gastritis—Enteritis ..	7	4	2	13	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague, 1. (2) Stricture of œsophagus, 1.									
Peritonitis	1	..	1	1										
Tabes Mesenterica ..	3	3	4										
Ascites	1										
Ulceration	1	1	1	3	1										
Hernia	2										
Colic or Ileus	2	..	2	1										
Dis. of Stomach, &c. (2)	1	2	..	3	6										
Hepatitis	1										
Jaundice	1	1	2										
Dis. of Liver, &c.	10	2	12	7										
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	30	20	5	55	60										
West districts. }						Deaths in the Week. 140						Average Weekly Deaths, 1838-9-40. 139			
North districts. }												148		163	
Central districts. }												166		190	
East districts. }												158		211	
South districts. }												201		223	
TOTAL. Males, 410. Females, 403.						(Weekly average 1838-9-40, Males, 475. Females, 451.)						813		926	

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died of Pneumonia was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, November 11th, 1841.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th November, 1841.

Temperature. °	Weeks ending	
	Nov. 6th	Nov. 13th
Highest ...	54°	56°
Lowest	45°	40°
Daily Mean	49°	49°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	4	36	Nephritis4
Measles	37	1	..	38	24	Diabetes3
Scarlatina	14	2	..	16	38	Stone5
Hooping Cough	42	42	28	Stricture	1	..	1	.4
Croup	9	9	7	Dis. of Kidneys, &c.	3
Thrush	5	5	5	Diseases of the Kid- neys, &c.}	..	1	..	1	4
Diarrhoea	2	2	4	8	Childbed	9	..	9	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	..	1	1	Dis. of Uterus, &c. (3)	..	1	1	2	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	1	11	9
Typhus	7	14	2	23	46	Rheumatism	1	1	3
Erysipelas	4	5	2	11	7	Dis. of Joints, &c.	2	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	..	2	3	6
Hydrophobia	1	1	.1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	124	25	6	155	204	Fistula	1	..	1	.4
Cephalitis	9	2	..	11	11	Dis. of Skin, &c.3
Hydrocephalus	28	1	..	29	34	Diseases of the Skin, } &c.}	..	1	..	1	1
Apoplexy	12	7	19	18	Inflammation	8	1	..	9	12
Paralysis	1	5	7	13	15	Hæmorrhage	1	1	1	3	3
Convulsions	39	39	60	Dropsy	4	21	17	42	34
Epilepsy	4	1	5	4	Abscess	5	..	5	4
Insanity	1	..	1	1	Mortification	3	1	4	5
Delirium Tremens	4	1	5	1	Scrofula	1	..	1	2
Dis. of Brain, &c. ..	3	2	..	5	7	Carcinoma	3	2	5	7
Diseases of the Brain, Nerves, and Senses.}	80	31	16	127	151	Tumor	1	..	1	2
Quinsey	1	1	1	Gout	1	1	2	1
Bronchitis	5	3	5	13	9	Atrophy	7	..	3	10	4
Pleurisy	1	1	2	Debility	11	6	4	21	15
Pneumonia	57	9	4	70	72	Malformations	1
Hydrothorax	3	3	5	Sudden Deaths	4	7	2	13	13
Asthma	6	8	14	24	Diseases of Uncer- tain Seat	35	50	31	116	103
Consumption	17	98	8	123	141	Old Age, or Natural Decay	4	54	58	71
Dis. of Lungs, &c. (1)	1	7	3	11	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	81	123	32	236	266	Privation4
Pericarditis6	Violent Deaths	8	9	4	22	24
Aneurism	1	1	..	2	.6	Deaths by Violence, Pri- vation, or Intemperance}	8	9	4	22	25
Dis. of Heart, &c.	14	4	18	17	Causes not specified	8
Diseases of the Heart } and Bloodvessels. }	1	15	4	20	18	Deaths from all Causes	366	291	156	814	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	4	3	16	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Laryngitis, 2. (2) Stricture of œsophagus, 1. Disease of Pancreas, 1. (3) Paramenia, 1.					
Peritonitis	2	..	2	1						
Tabes Mesenterica ..	5	1	..	6	4	Deaths in the Week.	107	Average Weekly Deaths, 1838-9-40.			
Ascites	2	..	2	1		152	163			
Ulceration	1		153	190			
Hernia	1	1	2	2		166	211			
Colic or Ileus	2	..	2	1		236	223			
Dis. of Stomach, &c. (2)	..	3	..	3	6	TOTAL. Males, 397. Females, 417. (Weekly average 1838-9-40, Males, 475. Females, 451.)					
Hepatitis	1						
Jaundice	2	2	1	5	2						
Dis. of Liver, &c. ..	1	5	1	7	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	22	6	64	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}										
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London										
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich										

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, November 18th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th November, 1841.

Temperature. °	Week ending	
	Nov. 19th	Nov. 20th
Highest ...	56°	49°
Lowest	40°	28°
Daily Mean	49°	38°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	8	1	..	9	36	Nephritis	2	..	2	.4
Measles	29	1	..	30	24	Diabetes3
Scarlatina	17	1	..	18	38	Stone5
Whooping Cough	45	45	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	2	..	2	3
Thrush	8	8	5	Diseases of the Kid- neys, &c.}	..	4	..	4	4
Diarrhoea	2	1	2	5	8	Childbed	3	..	3	7
Dysentery	2	2	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. (4)	..	1	..	1	2
Influenza	1	1	1	3	1	Childbed, Diseases of the Uterus, &c. ..}	..	4	..	4	9
Typhus	1	13	4	18	46	Rheumatism	1	1	3
Erysipelas	3	4	1	8	7	Dis. of Joints, &c.	1	1	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles}	2	2	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	122	23	10	155	204	Fistula4
Cephalitis	8	1	1	10	11	Dis. of Skin, &c.3
Hydrocephalus	32	32	34	Diseases of the Skin, &c.}	1
Apoplexy	11	8	19	18	Inflammation	6	6	12
Paralysis	5	9	14	15	Hæmorrhage	1	2	..	3	3
Convulsions	36	36	60	Dropsy	1	13	15	29	34
Epilepsy	4	Abscess	1	1	..	2	4
Insanity	2	..	2	1	Mortification	1	1	..	2	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2
Dis. of Brain, &c. (1)	1	3	1	5	7	Carcinoma	3	3	6	7
Diseases of the Brain, Nerves, and Senses.}	77	24	19	120	151	Tumor	2	2	2
Quinsey	1	1	1	Gout	1	1	1
Bronchitis	8	6	2	16	9	Atrophy	2	2	3	7	4
Pleurisy	1	..	1	2	Debility	18	4	10	32	15
Pneumonia	53	7	4	65	72	Malformations	1	1	1
Hydrothorax	1	2	..	3	5	Sudden Deaths	1	6	2	9	13
Asthma	14	9	23	24	Diseases of Uncer- tain Seat	35	32	34	101	103
Consumption	27	94	10	131	141	Old Age, or Natural Decay	2	53	60	71
Dis. of Lungs, &c. (2)	5	11	2	18	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	95	135	27	258	266	Privation	1	1	.4
Pericarditis6	Violent Deaths	4	8	1	13	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	5	8	1	14	25
Dis. of Heart, &c. ..	1	11	6	18	17	Causes not specified ..	1	1	8
Diseases of the Heart and Bloodvessels.}	1	11	6	18	18	Deaths from all Causes	369	270	160	800	..
Teething	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	10	..	16	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	2	1	(1) Tetanus, 1. Chorea, 1.	Deaths in the Week.				
Tabes Mesenterica ..	2	1	..	3	4	(2) Laryngitis, 1.	Average Weekly Deaths, 1838-9-40.				
Ascites	1	(3) Worms, 2.	124				
Ulceration	1	1	..	2	1	(4) Paramenia, 1.	150				
Hernia	3	..	3	2		132				
Colic or Ileus	1	..	1	2	1		178				
Dis. of Stomach, &c. (3)	3	3	..	6	6		216				
Hepatitis	1	..	1	1		223				
Jaundice	2	2	2		800				
Dis. of Liver, &c. ..	2	8	4	14	7		926				
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	31	27	5	63	60						

West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}	124	139
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney	150	163
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	132	190
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	178	211
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	216	223
TOTAL. Males, 400. Females, 400. (Weekly average 1838-9-40, Males, 475. Females, 451.)		800	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died of Pneumonia was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, November 25th 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Pears, at Mr. Hatnell's Printing Office, F. & D. Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th November, 1841.

Temperature.	Weeks ending	
	Nov. 20th	Nov. 27th
Highest ...	49°	57°
Lowest	28°	33°
Daily Mean	38°	44°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	3	3	36	Nephritis4
Measles	38	1	..	39	24	Diabetes3
Scarlatina	16	1	..	17	38	Stone5
Hooping Cough	59	59	28	Stricture1
Croup	13	13	7	Dis. of Kidneys, &c.	1	1	3
Thrush	1	1	5	Diseases of the Kid- neys, &c.}	1	1	4
Diarrhœa	1	1	1	3	8	Childbed	10	..	10	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c. ...}	..	11	..	11	9
Typhus	4	14	2	20	46	Rheumatism	1	2	3	3
Erysipelas	2	1	3	7	Dis. of Joints, &c. ...	1	1	..	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	2	2	5	6
Hydrophobia	1	1	.1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	137	19	5	161	204	Fistula4
Cephalitis	12	2	..	14	11	Dis. of Skin, &c.3
Hydrocephalus	24	24	34	Diseases of the Skin, { &c.}	1
Apoplexy	1	6	11	18	18	Inflammation	5	1	1	7	12
Paralysis	6	9	15	15	Hæmorrhage	1	..	1	3
Convulsions	52	52	60	Dropsy	5	24	18	47	34
Epilepsy	2	..	2	4	Abscess	6	..	6	4
Insanity	1	Mortification	1	..	1	2	5
Delirium Tremens	1	1	1	Scrofula	2	2	2
Dis. of Brain, &c. (1)	4	1	3	8	7	Carcinoma	2	6	3	11	7
Diseases of the Brain, Nerves, and Senses.}	93	17	24	134	151	Tumor	2	..	2	2
Quinsey	1	1	..	2	1	Gout	1
Bronchitis	4	3	5	12	9	Atrophy	2	..	1	3	4
Pleurisy	1	..	1	2	Debility	24	2	8	34	15
Pneumonia	60	8	2	70	72	Malformations	1	1	1
Hydrothorax	5	Sudden Deaths	7	3	3	13	13
Asthma	19	21	40	24	Diseases of Uncer- tain Seat	49	45	35	129	103
Consumption	25	89	7	121	141	Old Age, or Natural Decay	3	76	79	71
Dis. of Lungs, &c. ..	2	7	10	19	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	92	128	45	265	266	Privation4
Pericarditis6	Violent Deaths	4	11	4	19	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	4	11	4	19	25
Dis. of Heart, &c. ..	1	14	5	20	17	Causes not specified ..	1	3	1	5	8
Diseases of the Heart and Bloodvessels.}	1	14	5	20	18	Deaths from all Causes	411	270	212	893	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	4	3	7	14	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Tetanus, 1.					
Tabes Mesenterica ..	6	6	4	(2) Intussusception, 2.					
Ascites	1	1	1						
Ulceration	1	1	1						
Hernia	2						
Colic or Ileus (2) ..	1	1	1	3	1						
Dis. of Stomach, &c.	4	1	5	6						
Hepatitis	1	..	1	1						
Jaundice	2	1	1	4	2						
Dis. of Liver, &c.	6	3	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	33	17	14	64	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.	Population, Enumerated, 1841.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	138	139	300,705
North Districts.			
St. Mary-le-bone; St. Pancras; Islington; Hackney	167	163	365,660
Central Districts.			
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	176	190	373,806
East Districts.			
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	216	211	392,496
South Districts.			
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	196	223	438,060
TOTAL. Males, 451. Females, 442. (Weekly average 1838-9-40, Males, 475. Females, 451.)	893	926	1,870,727

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, December 2nd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis.*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th December, 1841.

Temperature. °	Weeks ending	
	Nov. 27th	Dec. 4th
Highest ...	57°	59°
Lowest....	33°	45°
Daily Mean	44°	51°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	1	..	8	36	Nephritis4
Measles	40	40	24	Diabetes3
Scarlatina	8	8	38	Stone5
Whooping Cough	62	62	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c. (2)	1	1	2	3
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	1	1	2	4
Diarrhoea	3	1	2	6	8	Childbed	8	..	8	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	1	11	9
Typhus (1)	11	11	1	23	46	Rheumatism	1	4	..	5	3
Erysipelas	2	4	..	6	7	Dis. of Joints, &c. ...	1	1	2	4	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	2	5	2	9	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases}	144	17	3	164	204	Fistula4
Cephalitis	7	1	..	8	11	Dis. of Skin, &c. (3)	1	..	1	.3
Hydrocephalus	28	1	..	29	34	Diseases of the Skin, &c.}	..	1	1	2	1
Apoplexy	7	9	16	18	Inflammation	3	2	..	5	12
Paralysis	6	12	18	15	Hæmorrhage	2	..	2	3
Convulsions	44	1	..	45	60	Dropsy	5	18	14	37	34
Epilepsy	1	7	..	8	4	Abscess	2	1	..	3	4
Insanity	1	..	1	1	Mortification	1	2	4	7	5
Delirium Tremens	1	..	1	1	Scrofula	2
Dis. of Brain, &c. ..	3	6	1	10	7	Carcinoma	6	2	8	7
Diseases of the Brain, Nerves, and Senses.}	83	31	22	136	151	Tumor	2	..	2	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	6	4	4	14	9	Atrophy	6	6	4
Pleurisy	3	1	4	2	Debility	6	3	2	11	15
Pneumonia	60	19	6	86	72	Malformations	1	1	1
Hydrothorax	1	3	4	5	Sudden Deaths	5	9	2	16	13
Asthma	2	12	23	37	24	Diseases of Uncer- tain Seat	29	45	25	99	103
Consumption	24	101	8	133	141	Old Age, or Natural Decay	2	49	51	71
Dis. of Lungs, &c.	7	4	11	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	92	147	51	291	266	Privation	1	1	.4
Pericarditis6	Violent Deaths	5	11	4	21	21
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	6	11	4	22	25
Dis. of Heart, &c. ..	3	9	5	17	17	Causes not specified ..	1	3	..	4	8
Diseases of the Heart and Bloodvessels.}	3	9	5	17	18	Deaths from all Causes	382	297	171	852	..
Teething	11	11	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	5	2	14	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Remittent Fever, 1. (2) Cystitis, 1. (3) Phlegmon, 1.					
Peritonitis	1						
Tabes Mesenterica ..	2	2	4						
Ascites	1	1	1	Average Weekly Deaths, 1838-9-40.	139	Population, Enumerated, 1841.	300,705	Deaths in the Week.	119
Ulceration	1	1	2	1	163	365,660	165			
Hernia	2	..	2	2	190	373,806	168			
Colic or Ileus	1	..	1	1	211	392,496	182			
Dis. of Stomach, &c. ..	1	1	1	3	6	223	438,060	218			
Hepatitis	1	1	1	926	1,870,727	852			
Jaundice	2	..	2	2	TOTAL. Males, 439. Females, 413. (Weekly average 1838-9-40, Males, 475. Females, 451.)					
Dis. of Liver, &c. ..	1	3	1	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion.}	22	15	7	44	60						

West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James

North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney

Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London

East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar

South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich

TOTAL. Males, 439. Females, 413. (Weekly average 1838-9-40, Males, 475. Females, 451.)

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of Two Persons were not stated; one died of Pneumonia, and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office. December 9th, 1841.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 11th December, 1841.

Temperature.	Weeks ending	
	Dec. 4th	Dec. 11th
Highest ...	59°	55°
Lowest	45°	40°
Daily Mean	51°	47°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	1	..	5	36	Nephritis	1	..	1	.4
Measles	37	37	24	Diabetes	1	..	1	.3
Scarlatina	16	16	38	Stone5
Hooping Cough	33	33	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c. (3)	2	4	6	3
Thrush	5	5	5	Diseases of the Kid- neys, &c.	4	4	8	4
Diarrhoea	6	2	3	11	8	Childbed	6	..	6	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	..	1	1	Dis. of Uterus, &c. (4)	2	..	2	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.	8	..	8	9
Typhus (1)	6	17	1	24	46	Rheumatism	3	1	4	3
Erysipelas	4	1	1	6	7	Dis. of Joints, &c.	1	3	..	4	3
Syphilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles	1	6	1	8	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases	123	23	5	151	204	Fistula	1	1	.4
Cephalitis	7	2	1	10	11	Dis. of Skin, &c.3
Hydrocephalus	33	1	1	35	34	Diseases of the Skin, &c.	1	1	1
Apoplexy	7	6	13	18	Inflammation	5	5	12
Paralysis	12	6	18	15	Hæmorrhage	1	1	2	3
Convulsions	40	1	..	41	60	Dropsy	5	9	12	27	34
Epilepsy	2	..	2	4	Abscess	1	4	..	5	4
Insanity	1	..	1	1	Mortification	1	1	..	2	5
Delirium Tremens	3	..	3	1	Scrofula	2
Dis. of Brain, &c. (2)	3	4	2	9	7	Carcinoma	3	2	5	7
Diseases of the Brain, Nerves, and Senses.	83	33	16	132	151	Tumor	1	..	1	2
Quinsey	1	..	1	1	Gout	1	..	1	1
Bronchitis	2	3	3	8	9	Atrophy	6	6	4
Pleurisy	1	1	2	2	Debility	12	1	4	17	15
Pneumonia	55	10	4	69	72	Malformations	2	2	1
Hydrothorax	2	1	3	5	Sudden Deaths	7	4	2	13	13
Asthma	12	14	26	24	Diseases of Uncer- tain Seat	39	25	21	86	103
Consumption	17	78	1	96	141	Old Age, or Natural Decay	4	52	56	71
Dis. of Lungs, &c.	4	6	3	13	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration	78	113	27	218	266	Privation4
Pericarditis	1	..	1	.6	Violent Deaths	4	13	1	18	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance	4	13	1	18	25
Dis. of Heart, &c.	3	8	7	18	17	Causes not specified ..	1	1	3	5	8
Diseases of the Heart and Bloodvessels.	3	9	7	19	18	Deaths from all Causes	369	253	147	770	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	4	1	14	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	1	(1) Ague, 1.					
Tabes Mesenterica ..	8	8	4	(2) Tetanus, 1.					
Ascites	1	(3) Ischuria, 1. Cystitis, 1.					
Ulceration	1	..	1	1	(4) Paramenia, 1.					
Hernia	1	1	1	3	2						
Colic or Ileus	1	1	..	2	1						
Dis. of Stomach, &c. ..	1	1	..	2	6						
Hepatitis	1						
Jatundice	1	1	1	3	2						
Dis. of Liver, &c.	1	4	5	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	37	14	9	60	60						
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James					Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40.		Deaths in the Week.		
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney					300,705	139		99		
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					365,660	163		149		
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					373,806	190		149		
South Districts.	St. Saviour; St. Olive; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					392,496	211		182		
TOTAL	Males, 366. Females, 404. (Weekly average 1838-9-40, Males, 475. Females, 451.)					438,060	223		191		
						1,870,727	926		770		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died of Dropsy was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, December 16th, 1841.

A TABLE OF MORTALITY

FOR THE
Metropolis,*SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 18th December, 1841.

Temperature °	Weeks ending	
	Dec. 11th	Dec. 18th
Highest ...	55°	53°
Lowest ...	40°	31°
Daily Mean	47°	43°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	5	5	36	Nephritis4
Measles	22	22	24	Diabetes3
Scarlatina	17	1	..	18	38	Stone5
Whooping Cough	47	47	28	Stricture4
Croup	11	11	7	Dis. of Kidneys, &c.	3	3	3
Thrush	3	3	5	Diseases of the Kid- neys, &c. }	3	3	4
Diarrhoea	4	4	8	Childbed	1	..	1	7
Dysentery	2	1	..	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	1	..	1	1	Childbed, Diseases of the Uterus, &c. }	..	3	..	3	9
Typhus (1)	13	12	3	28	46	Rheumatism	1	..	1	3
Erysipelas	2	1	..	3	7	Dis. of Joints, &c.	1	..	1	2	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	1	1	1	3	6
Hydrophobia1	Ulcer	1	1	..	2	.4
Epidemic, Endemic, & Contagious Diseases }	126	17	3	146	204	Fistula4
Cephalitis	4	3	..	7	11	Dis. of Skin, &c. (2)	1	..	1	.3
Hydrocephalus	25	1	..	26	34	Diseases of the Skin, } &c. }	1	2	..	3	1
Apoplexy	1	6	7	14	18	Inflammation	4	4	12
Paralysis	4	12	16	15	Hæmorrhage	1	1	3
Convulsions	49	49	60	Dropsy	3	15	8	26	34
Epilepsy	1	2	3	4	Abscess	2	..	2	4
Insanity	1	Mortification	1	2	3	6	5
Delirium Tremens	1	1	2	1	Scrofula	1	1	2
Dis. of Brain, &c. ..	3	4	..	7	7	Carcinoma	5	1	7	7
Diseases of the Brain, Nerves, and Senses. }	82	20	22	124	151	Tumor	2	1	1	4	2
Quinsey	3	3	1	Gout	1	..	1	1
Bronchitis	4	4	6	14	9	Atrophy	1	1	4
Pleurisy	2	1	3	2	Debility	10	2	7	19	15
Pneumonia	67	10	3	80	72	Malformations	1
Hydrothorax	2	3	3	8	5	Sudden Deaths	4	9	2	16	13
Asthma	7	12	19	24	Diseases of Uncer- tain Seat	26	37	23	88	103
Consumption	23	98	9	130	141	Old Age, or Natural Decay	1	59	60	71
Dis. of Lungs, &c. ..	1	6	5	12	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	100	130	39	269	266	Privation	3	3	.4
Pericarditis6	Violent Deaths	7	10	3	21	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	10	10	3	24	25
Dis. of Heart, &c. ..	1	12	4	17	17	Causes not specified	8
Diseases of the Heart and Bloodvessels. }	1	12	4	17	18	Deaths from all Causes	380	250	161	794	..
Teething	10	10	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	14	4	1	19	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Ague, 1.					
Tabes Mesenterica ..	4	4	4	(2) Phlegmon, 1.					
Ascites	3	..	3	1	Inflammation of the Arm, said to have been produced by absorption in a cut Thumb, of matter vomited by his wife, who died of Puerperal Fever.					
Ulceration	1	..	1	1						
Hernia	2	..	1	3	2						
Colic or Ileus	3	3	1						
Dis. of Stomach, &c.	6						
Hepatitis	1	..	1	1						
Jaundice	2						
Dis. of Liver, &c.	7	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	33	17	4	54	60						

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40.	Deaths in the Week.
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	139	100
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	163	145
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,306	190	148
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	211	183
		438,060	223	218
TOTAL.	Males, 438. Females, 356. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1,870,727	926	794

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,599; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of Three Persons were not stated; one died of Carcinoma; one Suddenly; and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, December 23rd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th December, 1841.

Temperature.	Weeks ending	
	Dec. 10th	Dec. 25th
Highest	53°	50°
Lowest	31°	30°
Daily Mean	43°	37°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	3	1	..	4	36	Nephritis4
Measles	34	35	24	Diabetes3
Scarlatina	9	1	..	10	38	Stone5
Whooping Cough	46	46	28	Stricture	1	..	1	.4
Croup	12	12	7	Dis. of Kidneys, &c. (1)	..	1	3	4	3
Thrush	3	3	5	Diseases of the Kid- neys, &c.}	..	2	3	5	4
Diarrhoea	1	1	2	4	8	Childbed	7	..	7	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	8	..	8	9
Typhus	12	11	2	25	46	Rheumatism	1	1	3
Erysipelas	1	1	7	Dis. of Joints, &c. ...	2	2	..	4	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	2	2	1	5	6
Hydrophobia1	Ulcer	1	..	1	2	.4
Epidemic, Endemic, & Contagious Diseases}	121	14	5	141	204	Fistula4
Cephalitis	6	3	..	9	11	Dis. of Skin, &c.3
Hydrocephalus	27	1	..	28	34	Diseases of the Skin, & &c.}	1	..	1	2	1
Apoplexy	3	8	10	21	18	Inflammation	3	2	..	5	12
Paralysis	5	11	16	15	Hæmorrhage	1	2	..	3	3
Convulsions	36	1	1	38	60	Dropsy	2	20	12	34	34
Epilepsy	1	5	..	6	4	Abscess	1	1	..	2	4
Insanity	1	1	1	Mortification	1	1	5
Delirium Tremens	1	1	1	Scrofula	2
Dis. of Brain, &c.	6	2	8	7	Carcinoma	6	1	7	7
Diseases of the Brain, Nerves, and Senses.}	73	29	26	128	151	Tumor	1	2	3	2
Quinsey	2	2	1	Gout	2	..	2	1
Bronchitis	5	1	3	9	9	Atrophy	1	..	4	5	4
Pleurisy	1	..	1	2	Debility	10	2	4	16	15
Pneumonia	71	10	3	84	72	Malformations	1
Hydrothorax	1	3	4	5	Sudden Deaths	5	9	2	16	13
Asthma	17	6	23	24	Diseases of Uncer- tain Seat	23	45	26	94	103
Consumption	16	89	7	112	141	Old Age, or Natural Decay	68	68	71
Dis. of Lungs, &c. ..	4	6	5	15	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	98	125	27	250	266	Privation	1	..	1	.4
Pericarditis6	Violent Deaths	4	11	3	18	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	4	12	3	19	25
Dis. of Heart, &c. ..	1	13	6	20	17	Causes not specified ..	3	4	..	7	8
Diseases of the Heart and Bloodvessels.}	1	13	6	20	18	Deaths from all Causes	349	267	178	795	..
Teething	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	3	7	4	14	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	(1) Cystitis, 2.					
Tabes Mesenterica ..	4	1	..	5	4						
Ascites	2	..	2	1						
Ulceration	1	..	1	1						
Hernia	1	1	2						
Colic or Ileus	1	..	1	2	1						
Dis. of Stomach, &c.	2	2	6						
Hepatitis	1						
Jaundice	3	1	..	4	2						
Dis. of Liver, &c.	1	4	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	23	13	12	48	60						

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40.	Deaths in the Week.
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	139	101
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	163	139
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	190	139
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	211	193
TOTAL.	Males, 407. Females, 388. (Weekly average 1838-9-40, Males, 475. Females, 451.)	438,060	223	223
		1,870,727	926	795

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died of Measles was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, December 30th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st January, 1842.

Temperature °	Weeks ending	
	Dec. 25th	Jan. 1st
Highest....	50°	47°
Lowest.....	30°	31°
Daily Mean	37°	39°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	2	1	..	3	36	Nephritis4
Measles	44	45	24	Diabetes	1	..	1	.3
Scarlatina	10	2	..	12	38	Stone5
Whooping Cough	76	76	28	Stricture	1	1	.4
Croup	17	17	7	Dis. of Kidneys, &c.	3	1	4	3
Thrush	2	2	5	Diseases of the Kid- neys, &c.	4	2	6	4
Diarrhoea	1	1	2	4	8	Childbed	9	..	9	7
Dysentery	1	2	3	2	Ovarian Dropsy	1	1	.2
Cholera	1	Dis. of Uterus, &c.	3	1	4	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.	12	2	14	9
Typhus	12	7	3	22	46	Rheumatism	1	..	1	3
Erysipelas	5	2	2	9	7	Dis. of Joints, &c. ...	1	1	..	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles	1	2	..	3	6
Hydrophobia1	Ulcer	1	..	2	3	.4
Epidemic, Endemic, & Contagious Diseases	169	14	10	194	204	Fistula4
Cephalitis	9	5	..	14	11	Dis. of Skin, &c. (3)	1	1	.3
Hydrocephalus	32	3	..	35	34	Diseases of the Skin, & &c.	1	..	3	4	1
Apoplexy	1	9	11	21	18	Inflammation	5	1	1	7	12
Paralysis	8	12	20	15	Hæmorrhage	1	3	1	5	3
Convulsions	53	53	60	Dropsy	2	14	14	30	34
Epilepsy	6	..	6	4	Abscess	2	4	..	6	4
Insanity	1	Mortification	1	3	2	6	5
Delirium Tremens	2	1	3	1	Scrofula (4)	5	5	2
Dis. of Brain, &c. ..	4	2	..	6	7	Carcinoma	1	4	1	6	7
Diseases of the Brain, Nerves, and Senses.	99	35	24	158	151	Tumor	2	1	3	2
Quinsey	1	Gout	1
Bronchitis	1	5	14	20	9	Atrophy	3	3	4
Pleurisy	2	1	3	2	Debility	23	3	7	33	15
Pneumonia	69	19	4	92	72	Malformations	1
Hydrothorax	2	3	2	7	5	Sudden Deaths	6	13	9	28	13
Asthma	21	19	40	24	Diseases of Uncer- tain Seat	49	47	36	132	103
Consumption	17	98	13	128	141	Old Age, or Natural Decay	1	81	82	71
Dis. of Lungs, &c. ..	2	4	4	10	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration	91	152	57	300	266	Privation	1	1	..	2	.4
Pericarditis6	Violent Deaths	10	22	6	39	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance	11	23	6	41	25
Dis. of Heart, &c. ..	4	19	7	30	17	Causes not specified ..	3	4	1	8	8
Diseases of the Heart and Bloodvessels.	4	19	7	30	18	Deaths from all Causes	458	338	239	1037	..
Teething	20	20	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	6	2	15	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	1	(1) Intussusception, 1.					
Tabes Mesenterica ..	2	2	4	(2) Stricture of œsophagus, 1.					
Ascites	2	1	3	1	(3) Phlegmon, 1.					
Ulceration	1	..	1	1	(4) Purpura, 1.					
Hernia	2	1	3	2						
Colic or Ileus (1)	2	2	4	1						
Dis. of Stomach, &c. (2)	1	2	1	4	6						
Hepatitis	1	..	1	1						
Jaundice	2	..	2	2						
Dis. of Liver, &c.	7	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	30	25	10	65	60						

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40.	Deaths in the Week.
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	139	162
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	163	194
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	190	207
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	211	226
		438,060	223	248
TOTAL.	Males, 523. Females, 514. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1,870,727	926	1037

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of Two Persons were not stated; one died of Measles and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, January 6th, 1842.

